





| Pos | Article-Nr.  | Description                             | Pos | Article-Nr.  | Description                              |
|-----|--------------|-----------------------------------------|-----|--------------|------------------------------------------|
| 1   | 0314.836     | CONNECTOR 4 POLES CUPWARMER ASSY.       | 48  | 9161.140     | SEAL FOR UNIT PLATE                      |
| 2   | NF18.001     | PLATE FOR PIN D.3,2                     | 49  | 147623150    | BLACK SQUARE ADHESIVE FOOT 5023          |
| 3   | 0347.011.050 | FIDEX SLEEVE                            | 50  | 0301.041.150 | GREY BREW UNIT SUPPORT PLATE ROYAL       |
| 4   | JS01.005     | SILICONE TUBE 5X8 ROLL BROWN            | 51  | 0301.046.230 | WATER TANK ASS. SUPERAUTOM.              |
| 5   | 0347.006.710 | MOBILE DISPENSER CASING GREY            | 52  | 20006540     | KIT RIC.COP.CAF.ARG+COP.ACQ.ARG.ROYAL    |
| 6   | NM02.010     | OR ORM 0050-20 TERMOIL                  | 53  | NM01.032     | RED SILICONE OR ORM 0060-30              |
| 7   | 0347.005.710 | FIXED CASING DISPENSER BLACK            | 54  | 9161.110     | PISTON SPRING FOR SUPERAUT.              |
| 8   | 0347.A02.710 | WHOLE MESH GREY UPPER DISP.RAL 7021     | 55  | 147660562    | GREY PISTON FOR WATER CONTAINER VALVE    |
| 9   | 0347.A05.710 | WHOLE MESH GREY LOWER DISP. RAL7021     | 56  | 9161.050.230 | NAT/TRANSP.FLOATING SPACE PLUG MAGIC     |
| 10  | 0347.A03.710 | DISPENSER ASS. GREY RAL 7021            | 57  | 9161.112.150 | GREY LEVEL FLOAT                         |
| 11  | 0301.033.150 | TANK CASING GREY                        | 58  | 0313.001.710 | DOOR ASS. ROYAL GREY RAL 7021            |
| 12  | 129670202    | TCB PANELVIT SCREW 3,5X16 TESTA D=8 ZNP | 59  | 0313.012.710 | 7021/GREY DOOR COVER S/SCR.ROYAL         |
| 13  | 0347.009.430 | CHROMATE GRID FOR TANK                  | 60  | 0301.040.150 | GREY DOOR CLOSURE LEVER                  |
| 14  | 0347.013.970 | RED BALL FLOAT                          | 61  | U433.001     | NAIL 2X06 UNI 7591 BURN.                 |
| 15  | 0347.004.430 | CHROMATE DISPENSER COVER                | 62  | 0301.039.710 | 7021/GREY DOOR CLOSURE KNOB              |
| 16  | 0314.022.710 | GREY DRIP TRAY                          | 63  | 0313.013     | RESIN PACKET INTAFIL SYSTEM              |
| 17  | 0312.016.050 | RUBBER TUBE HOLDER BLACK                | 64  | 0313.015     | RESIN CONTAINER LID INTAFIL              |
| 18  | 0312.015.66A | 230V-CLEAR/GREY CUPWARMING PLATE ASSY.  | 65  | 0313.014     | RESIN CONTAINER INTAFIL SYSTEM           |
| 18  | 0312.015.66Z | 208V-CLEAR/GREY CUPWARMING PLATE ASSY.  | 66  | 0313.016     | WATER TANK ADAPTER INTAFIL               |
| 19  | 0312.014     | CUPWARMER SEAL                          | 67  | 0354.951     | MANUAL ROYAL CAPPUCCINO REDES.D          |
| 20  | 0312.017     | TUBE FOR CASING LID                     | 67  | 0354.953     | MANUAL ROYAL CAPPUCCINO REDES.I          |
| 21  | U201.005     | PLAIN WASHER 4,3X12 DIN 7349 GAL        | 67  | 0354.954     | MANUAL ROYAL CAPPUCCINO REDES.F          |
| 22  | 129573202    | SCREW TCB TORX 20 M4X8 AUTOFORMING ZN-B | 67  | 0354.955     | MANUAL ROYAL CAPPUCCINO REDES.GB         |
| 23  | 0327.036     | GENERAL SWITCH PROTECTION               | 67  | 0354.956     | MANUAL ROYAL CAPPUCCINO REDES.E          |
| 24  | U043.012     | SCREW TCB TORX 20 M4X6 ZN-B             | 67  | 0354.957     | MANUAL ROYAL CAPPUCCINO REDES.P          |
| 25  | NE03.028     | SWITCH B1031C1181000W                   | 67  | 0354.958     | MANUAL ROYAL CAPPUCCINO REDES.NL         |
| 25  | NE03.038     | BIPOLAR SWITCH FUSIT C1250AR            | 67  | 15002514     | MANUAL ROYAL CAPPUCCINO REDES.KOR        |
| 26  | 0314.007.710 | 7021/GREY CASING WITH SLOTS ASSY.       | 68  | 127390100    | BRUSH FOR CLEANING                       |
| 26  | 11025914     | 7021/GREY CASING WITH SLOTS V2 ASSY.    | 69  | 146680659    | GREY MEASURE WITH HOLE                   |
| 27  | U110.005     | screw AUT.TCB 3,9X9,5 DIN 7981 F        | 70  | 11028379     | PSA KLUBER TRIBOSTAR SIL 2 TUBE 5GR.     |
| 28  | 11025951     | 7021/GREY DUMP BOX V2                   | 71  | 0314.907     | TECHMATE LEFT UPPER INSERT               |
| 28  | 0312.032.710 | 7021/GREY DUMP BOX                      | 72  | 0314.909     | DRIP TRAY BOX                            |
| 29  | 0301.048.150 | GREY ROTATING RING W/OUT FEET           | 73  | 0330.906     | SPACER IN POLYSTYRENE                    |
| 30  | 9991.096     | ADHESIVE FOOT 8X15X3,2                  | 74  | 0314.904     | TECHMATE LEFT LOWER INSERT               |
| 31  | NE15.003     | MALE TONGUE PLAIN 6,3 D.5,2             | 75  | 0347.901     | EXTERNAL BOX FLEXO ROYAL                 |
| 32  | 128310402    | GALV.WASHER UNI 8842 A4                 | 76  | 0314.906     | TECHMATE RIGHT UPPER INSERT              |
| 33  | 0360.024.050 | CAP FOR BODY                            | 77  | 0314.905     | TECHMATE RIGHT LOWER INSERT              |
| 34  | 0701.031.150 | GREY WATER VALVE GACO DIM 14 SEAL COVER | 78  | 21001404     | ACC SAE BRITA UNI.WAT.FILTERX1 EUR-ASIA  |
| 35  | 145842900    | NBR WATER CONT.VALVE GACO DIM14 SEAL    | 79  | 13001335     | PE INSERT145X50X50 FOR DUMP BOX V2 ROYAL |
| 36  | 12000895     | SCREW TSP TORX 10 3X10 PLAST.SS         | 80  | 13001336     | PE INSERT115X50X50 FOR DUMP BOX V2 ROYAL |
| 37  | 0701.014.150 | GREY WATER VALVE GACO DIM 14 SEAL CONT. |     |              |                                          |
| 38  | 140320461    | OR ORM 0080-20 TERMOIL                  |     |              |                                          |
| 39  | 129913202    | SCREW TCB TORX 10 3X8 PLAST.ZN-B        |     |              |                                          |
| 40  | 147700200    | LOADING PUMP DIAMETER 17 MM             |     |              |                                          |
| 41  | 0329.006.230 | COFFEE CONTAINER                        |     |              |                                          |
| 42  | 129512921    | SCREW TCB TORX 10 AB 2,9X13 SHEET SS    |     |              |                                          |
| 43  | 0313.008.770 | SILVER DOSER LID DIGITAL                |     |              |                                          |
| 44  | 0312.013.050 | PLUG FOR SCREW HOLE BLACK               |     |              |                                          |
| 45  | 0354.001.770 | LID CAPPUCCINO                          |     |              |                                          |
| 46  | 0301.019     | NIK/BRASS PIN FOR DOOR SUPERAUT.        |     |              |                                          |
| 47  | 0301.020     | NIK/BRASS PIN FOR DOOR SUPERAUT.        |     |              |                                          |

ALUMINIUM BOILER  
UP TO S/N. 9004ROY0486504



| Pos | Article-Nr.  | Description                              | Pos | Article-Nr.  | Description                              |
|-----|--------------|------------------------------------------|-----|--------------|------------------------------------------|
| 1   | 9979.A94     | TEFLON ASS. TUBE 4X2 L.100 7-7           | 50  | 9011.034     | THERMOSTAT RETAINING SPRING              |
| 2   | NM02.028     | OR 2015 EPDM FDA                         | 51  | 11008822     | TEA/BRASS 90° CONNECTOR DOUBLE FAST LOCK |
| 3   | 9011.144     | SS FORK FOR TUBE D=4                     | 52  | 9011.007     | SPRING FOR PIN                           |
| 4   | 9991.150     | BRASS CONNECTOR 1/8" CONICAL AT 90°      | 53  | 11009018     | TEA/BRASS PISTON L=15,1 ASSY.            |
| 5   | 11000794     | SOLEN.VALVE 15VA 2 WAY 1/8" FEM.NIK 230V | 54  | U110.005     | screw AUT.TCB 3,9X9,5 DIN 7981 F         |
| 6   | 0314.018.710 | COVER FOR CAPPUCCINA. PAINTED GREY       | 55  | 128310404    | WASHER UNI 8842 A4 BURNISHED             |
| 7   | 9161.135     | SPRING FOR STEAM FAUCET                  | 56  | 129823802    | TCB SCREW M4X8 UNI 7687 ZNP              |
| 8   | 142270200    | TUBE+W/O RETAIN.CAPPUCCINATORE +/2OR     | 57  | 0314.810     | CABLE 1 WIRE SILIC.WHITE TH/FUSE 192°    |
| 9   | 142520150    | CAPPUCCINATORE AS.NEUTRAL BLACK          | 58  | 9979.A39     | TEFLON TUBE ASS. 4X2 L.200 7-7           |
| 10  | 9991.122.050 | CONN. FOR CAPPUCCINATORE BLACK           | 59  | 0354.002     | BRACKET                                  |
| 11  | 9972.045     | SILICONE TUBE 3,5X6 L=350 MM DS          | 60  | 227961803    | NIK/BRASS INLET CONNECTOR BOILER         |
| 12  | 9161.438     | NUT FOR STEAM TUBE                       | 61  | 11008573     | SOLEN.VALVE 15VA 2W.1/8"FEM.DN3 TEA 230V |
| 13  | 9161.058.150 | INTERNAL PROTECTION FOR TUBE GREY        | 62  | 129670202    | TCB PANELVIT SCREW 3,5X16 TESTA D=8 ZNP  |
| 14  | 9161.055.710 | 7021/GREY STEAM TUBE HANDGRIP            | 63  | 0301.055.150 | LID FOR POWER CABLE CONT. GREY           |
| 15  | 11004221     | STAINLESS STEEL STEAM TUBE ROYAL ASSY.   | 64  | 0301.056.150 | POWER CABLE CONT. VDE GREY               |
| 16  | 9161.126.150 | COVER FOR FILTER CARD GREY               | 65  | 227901103    | NIK/BRASS 90°CONNECTOR DOUBLE FAST LOCK  |
| 17  | U303.002     | nut HEXAGONAL M12X1,25UNI 5589           | 66  | U109.013     | SCREW TCB 3,5X13 UNI 6954 NIK            |
| 18  | 11008452     | TEA/BRASS SUPPORT FOR 90°CONNECTOR       | 67  | 147920150    | 90° INLET PUMP CONNECTOR                 |
| 19  | NM02.007     | OR 2025 IN TERMOIL                       | 68  | 9011.054     | SPRING FOR THERMAL FUSE                  |
| 20  | 11008451     | TEA/BRASS 90°CONNECT.FOR CAPPUCCINATORE  | 69  | NM02.030     | OR 2106 EPDM FDA                         |
| 21  | 149361200    | BLACK SILICONE TUBE 7,5X9,3 IN ROLL      | 70  | 9019.A61.00A | BOILER CASINGS ASS. PROFESS. 230V        |
| 22  | 0314.820     | CONNECTOR 3POLES 1st SYSTEM ASSY.        | 71  | 9011.165     | BRASS BOILER SUPPORT WITH TUBE CONN.D.4  |
| 23  | 9161.413     | RACCORDO DRITTO FM 1/8                   | 72  | 9011.132     | SS SPRING FOR PIN                        |
| 24  | NR07.029     | STANDARD CONN. L MM 1/8 NICK             | 73  | 11009013     | TEA/BRASS PIN FOR PISTON L=10            |
| 25  | 140324461    | OR ORM 0060-20 TERMOIL                   | 74  | 129512503    | SCREW TCB 2,9X9,5 DIN 7981 NICK          |
| 26  | 0347.017.710 | GREY STEAM KNOB RAL 7021 SERIG.          | 75  | U043.012     | SCREW TCB TORX 20 M4X6 ZN-B              |
| 27  | 9161.057     | STEAM FAUCET ROD                         | 76  | U207.004     | PLAIN WASHER 4,3X16 UNI 6592 GAL         |
| 28  | 140321461    | O-RING 2018 EPDM                         | 77  | NE09.006     | THERMOSTAT 170°NC FAST. 90°+WASHER       |
| 29  | 11009006     | TEA/BRASS FAUCET BODY                    | 78  | U046.003     | SCREW TCBD TORX 20 M4X12 ZN-B            |
| 30  | U109.014     | screw AUT.TCB 2,9X16 DIN 7981 C          | 79  | 9011.187     | THERMOSTAT RETAINING SPRING              |
| 31  | NE05.013     | MICROSWITCH SAIA XGK52-81-J23            | 80  | 9979.A62     | TEFLON TUBE ASS. 4X2 L.180 7-7           |
| 32  | 11009072     | INSULATE PROTECTION 24X38,8 FOR MICRO    | 81  | 0354.804     | CONNECTOR ASS.3 POLES WITH THERMO. 100°  |
| 33  | 0312.011     | STEEL STEAM FAUCET BRACKET ROYAL         | 82  | NE15.026     | MALE TONGUE 45° 6,3 D.5,2                |
| 34  | 11000839     | BLACK CLOSURE PLATE                      | 83  | 9979.A36     | TEFLON TUBE ASS. 4X2 L.250 7             |
| 35  | 0334.822     | CABLE 1 WIRE SILIC.WHITE TH/FUSE 216°    | 84  | 0314.815     | 3POLES CONNECTOR TURBINE PROF.ASSY.      |
| 36  | 0314.804     | FILTRATION CARD 12A                      | 85  | 147920800    | Y CONNECTOR D=8 ART.80.26.048 KA.466     |
| 37  | U140.009     | PANELVIT TCB 3,0X16 DIN 7505 B GAL       | 86  | U043.021     | screw TCBC M5,0X8 UNI 7687 GALV.         |
| 38  | NE01.114     | POWER CABLE AUSTRALIA                    | 87  | U208.003     | TOOTHED WASHER 5,1X9 BRU                 |
| 38  | NE01.116     | CABLE USA 3P BLACK 1 MM                  | 88  | 9972.022     | SILICONE TUBR 5X8 L.2MT                  |
| 38  | NE01.120     | BLACK POWER CABLE SCHUKO L=1500          | 89  | 11009019     | TEA/BRASS PISTON L=20,9 ASSY.            |
| 39  | U110.004     | screw AUT.TCB 3,5X6,5 DIN 7981 F         | 90  | NM01.008     | OR ORM 0080-20 SILICONE                  |
| 40  | 0354.003     | BRACKET FOR BOILER 2                     | 91  | 9011.100     | PEG FOR VALVE IN PLASTIC                 |
| 41  | 0354.R02.00A | KIT SPARES CAPP.BOILER BLECKMANN         | 92  | NM01.035     | OR ORM 0090-20 SILICONE                  |
| 42  | 11004424     | ALUM.SPACER FOR PHILIPS SENSOR M5000     | 93  | 11005099     | NATURAL CURSOR V2 FOR BOILER P119        |
| 43  | 9019.A65     | SENSOR FOR AUTOMATICS ASSY.              | 94  | NM01.057     | OR ORM 0050-20 IN SILICONE               |
| 44  | 11008875     | TEA/BRASS CONNECTOR 1/8" FOR TUBE D=4    | 96  | 9161.018     | BRACKET FOR TURBINE                      |
| 45  | 9979.A55     | TEFLON TUBE ASS. 4X2 L.260 7-7           | 97  | 149185850    | EATON PUMP SUPPORT 4002012 MAGIC         |
| 46  | NE09.021     | THERMOSTAT 150°NC FASTON 90°             | 98  | 286473300    | -M-VDE TURBINE WITH SENSOR KIT           |
| 47  | 9991.085     | THERMOSTAT FIXING WASHER                 | 99  | 144650300    | ASPIRATION FILTER GAUZE NET 500 (NEW)    |
| 48  | 9979.A31     | TEFLON TUBE ASS. 4X2 L.160 7             | 100 | 9972.247     | SILICONE TUBE 5X10 60SH L=2000 MM        |
| 49  | 129828502    | TCB SCREW M6X30 UNI 7687 ZNP             | 101 | 9979.A30     | TEFLON TUBE ASS. 4X2 L.330 7-7           |
| 102 | 12000132     | ULKA PUMP EP5/S GW 220V-50/60HZ          |     |              |                                          |
| 102 | 12000140     | ULKA PUMP EP5/S GW 230V-50HZ             |     |              |                                          |
| 103 | 9079.A27     | SAFETY VALVE ASS.FAST/LOCK UNIVERS       |     |              |                                          |
| 104 | 140321961    | O-RING 2031 TERMOIL                      |     |              |                                          |


E003.054

SUP016R

| Pos | Article-Nr.  | Description             |
|-----|--------------|-------------------------|
| 105 | 9010.R18.00A | KIT SPARES 9010.121.00A |

| Pos | Article-Nr. | Description |
|-----|-------------|-------------|
|-----|-------------|-------------|

The diagram shows a microscope with two main sections highlighted by green dashed boxes. Section A, on the left, contains the eyepiece (60), objective lenses (114), and the base (62). Section B, on the right, contains the eyepiece (69), objective lenses (106), and the base (62). The central column is labeled 115. The eyepiece is labeled 59. The objective lenses are labeled 114. The base is labeled 62. The central column is labeled 115. The eyepiece is labeled 69. The objective lenses are labeled 106. The base is labeled 62. The central column is labeled 115.




| Pos | Article-Nr.  | Description                              | Pos | Article-Nr.  | Description                              |
|-----|--------------|------------------------------------------|-----|--------------|------------------------------------------|
| 1   | 9979.B42     | TEFLON ASS. TUBE 4X2 L.140 7             | 43  | 9019.A72     | SENSOR ROYAL ASSY.                       |
| 2   | 11009009     | TEA/BRASS CONNECTOR FOR TUBE TEFLON 4X2  | 44  | 227876200    | CONNECTOR AS.TEFLON 2X4 L=200 MM         |
| 3   | 11009010     | TEA/BRASS INLET CONNECTOR BOILER         | 45  | 9979.B39     | TEFLON ASS. TUBE 4X2 L.210 7-OG          |
| 4   | 9161.435     | BLK TUBOL.BOILER SUPPORT FOR SUPERAUTOM. | 46  | 129932202    | ROUND HEAD SCREW 10.9 M5X20 GALV         |
| 5   | 11008569     | SOLEN.VALVE 15VA 2 WAY 1/8" FEM.TEA 230V | 47  | 189428200    | THERMOSTAT 175° 1NT-08L-3794             |
| 5   | 11000797     | SOLEN.VALVE 15VA 2 WAY 1/8" FEM.NIK 208V | 48  | 129670202    | TCB PANELVIT SCREW 3,5X16 TESTA D=8 ZNP  |
| 6   | 0314.018.710 | COVER FOR CAPPUCCINA. PAINTED GREY       | 49  | 11008584     | TEA/BRASS 90° DOUBLE CONNECTOR           |
| 7   | 9161.135     | SPRING FOR STEAM FAUCET                  | 50  | 11008586     | TEA/BRASS 90° DOUBLE CONNECTOR           |
| 8   | 142270200    | TUBE+W/O RETAIN.CAPPUCCINATORE +/2OR     | 51  | 9161.301     | BRASS 90°CONNECTOR DOUBLE FAST LOCK      |
| 9   | 142520150    | CAPPUCCINATORE AS.NEUTRAL BLACK          | 52  | 126765317    | STEEL SPRING BOILER PISTON MAGIC         |
| 10  | 9991.122.050 | CONN. FOR CAPPUCCINATORE BLACK           | 53  | 11009018     | TEA/BRASS PISTON L=15,1 ASSY.            |
| 11  | 9972.045     | SILICONE TUBE 3,5X6 L=350 MM DS          | 54  | U110.005     | screw AUT.TCB 3,9X9,5 DIN 7981 F         |
| 12  | 9161.438     | NUT FOR STEAM TUBE                       | 55  | 128310404    | WASHER UNI 8842 A4 BURNISHED             |
| 13  | 9161.058.150 | INTERNAL PROTECTION FOR TUBE GREY        | 56  | 129823802    | TCB SCREW M4X8 UNI 7687 ZNP              |
| 14  | 9161.055.710 | 7021/GREY STEAM TUBE HANDGRIP            | 57  | 0354.809     | CABLE 1WIRE SILIC.BLUE TH/FUSE 192°      |
| 15  | 11004225     | SS STEAM TUBE ROYAL ASSY.                | 58  | 147756562    | BLK PROTECTION FOR FOLK SPRING TUBE D=4  |
| 16  | 129573202    | SCREW TCB TORX 20 M4X8 AUTOFORMING ZN-B  | 59  | 9979.B38     | TEFLON ASS. TUBE 4X2 L.370 7-OG          |
| 17  | U303.002     | nut HEXAGONAL M12X1,25UNI 5589           | 60  | 9979.A73     | TEFLON ASS. TUBE 4X2 L.280 7-7           |
| 18  | 11008452     | TEA/BRASS SUPPORT FOR 90°CONNECTOR       | 61  | 0301.055.150 | LID FOR POWER CABLE CONT. GREY           |
| 19  | NM02.007     | OR 2025 IN TERMOIL                       | 62  | 9161.297     | BRASS 90° CONNECTOR DOUBLE FAST LOCK     |
| 20  | 11008451     | TEA/BRASS 90°CONNECT.FOR CAPPUCCINATORE  | 63  | 0301.056.150 | POWER CABLE CONT. VDE GREY               |
| 21  | 149361200    | BLACK SILICONE TUBE 7,5X9,3 IN ROLL      | 64  | 11008573     | SOLEN.VALVE 15VA 2W.1/8"FEM.DN3 TEA 230V |
| 22  | 9161.126.150 | COVER FOR FILTER CARD GREY               | 64  | 11008576     | SOLEN.VALVE 15VA 2W.1/8"FEM.DN3 TEA 208V |
| 23  | NE01.069     | POWER CABLE USA BLACK                    | 65  | U110.003     | screw AUT.TCB 3,5X9,5 DIN 7981 F         |
| 23  | NE01.114     | POWER CABLE AUSTRALIA                    | 66  | 126838017    | SENSOR FIXING SPRING                     |
| 23  | NE01.115     | CAVO ALIMENTAZIONE TAIWAN 3POL.230V      | 67  | 145951600    | ELECTRIC INSULATING D=16 SP=0,4          |
| 23  | NE01.116     | CABLE USA 3P BLACK 1 MM                  | 68  | U140.009     | PANELVIT TCB 3,0X16 DIN 7505 B GAL       |
| 23  | NE01.120     | BLACK POWER CABLE SCHUKO L=1500          | 69  | 9979.B07     | TEFLON ASS. TUBE 4X2 L.250 7             |
| 24  | 11008453     | TEA/BRASS 90° CONNECTOR FOR FAUCET EV.   | 70  | 147920150    | 90° INLET PUMP CONNECTOR                 |
| 25  | 140324461    | OR ORM 0060-20 TERMOIL                   | 71  | U207.004     | PLAIN WASHER 4,3X16 UNI 6592 GAL         |
| 26  | 0347.017.710 | GREY STEAM KNOB RAL 7021 SERIG.          | 72  | 9011.132     | SS SPRING FOR PIN                        |
| 27  | 9161.057     | STEAM FAUCET ROD                         | 73  | 11009013     | TEA/BRASS PIN FOR PISTON L=10            |
| 28  | 140321461    | O-RING 2018 EPDM                         | 74  | 129512503    | SCREW TCB 2,9X9,5 DIN 7981 NICK          |
| 29  | 11009006     | TEA/BRASS FAUCET BODY                    | 75  | 0354.804     | CONNECTOR ASS.3 POLES WITH THERMO. 100°  |
| 30  | U109.014     | screw AUT.TCB 2,9X16 DIN 7981 C          | 76  | 0347.817     | 3POLES CONNECTOR TURBINE ASSY.           |
| 31  | NE05.013     | MICROSWITCH SAIA XGK52-81-J23            | 77  | NE09.006     | THERMOSTAT 170°NC FAST. 90°+WASHER       |
| 32  | 11009072     | INSULATE PROTECTION 24X38,8 FOR MICRO    | 78  | U046.003     | SCREW TCBD TORX 20 M4X12 ZN-B            |
| 33  | 0312.011     | STEEL STEAM FAUCET BRACKET ROYAL         | 79  | 9011.187     | THERMOSTAT RETAINING SPRING              |
| 34  | 11000839     | BLACK CLOSURE PLATE                      | 80  | 9979.B40     | TEFLON TUBE 4X2 L.250 OG-OG ASSY.        |
| 35  | 0334.822     | CABLE 1 WIRE SILIC.WHITE TH/FUSE 216°    | 81  | 140328059    | OR 2015 SILICONE PTFE/FDA                |
| 36  | 126838117    | 2 THERMOSTATS FIXING SPRING              | 82  | 288582300    | SENSOR ELECT.BOARD WITH CONNECTOR ASSY   |
| 37  | 282058800    | V2 TUB.BOILER W/ADDIT.RESIST.1100W 208V  | 83  | U310.003     | nut SELF LOCK.M5 UNI 7473                |
| 37  | 282058858    | V2 TUB.BOILER W/ADDIT.RESIST.1100W 230V  | 84  | 9011.144     | SS FORK FOR TUBE D=4                     |
| 38  | 0314.820     | CONNECTOR 3POLES 1st SYSTEM ASSY.        | 85  | 147920800    | Y CONNECTOR D=8 ART.80.26.048 KA.466     |
| 39  | U110.004     | screw AUT.TCB 3,5X6,5 DIN 7981 F         | 86  | 123453902    | SELF-LOCKI.NUT M5X0,8 DIN 980 CLA.8      |
| 40  | 0354.006     | BRACKET FOR PUMP 2                       | 87  | 227876600    | CONNECTOR AS.TEFLON 2X4 L=300 MM         |
| 41  | 9010.140.00A | BOILER ASS.                              | 88  | 11009012     | TEA/BRASS BOILER PIN BUSH                |
| 41  | 9010.140.00Z | BOILER ASS.                              | 89  | 11009019     | TEA/BRASS PISTON L=20,9 ASSY.            |
| 41  | 9010.152.00A | BLECKMANN BOILER ROYAL CAPP.230V ASSY.   | 90  | 9161.434     | HOT WATER PIN                            |
| 41  | 9010.152.00Z | BLECKMANN BOILER ROYAL CAPP.208V ASSY.   | 91  | 144650300    | ASPIRATION FILTER GAUZE NET 500 (NEW)    |
| 42  | 11004424     | ALUM.SPACER FOR PHILIPS SENSOR M5000     | 92  | NM01.035     | OR ORM 0090-20 SILICONE                  |
| 93  | 11005099     | NATURAL CURSOR V2 FOR BOILER P119        |     |              |                                          |
| 94  | NM01.057     | OR ORM 0050-20 IN SILICONE               |     |              |                                          |
| 96  | 9161.018     | BRACKET FOR TURBINE                      |     |              |                                          |
| 97  | 9972.247     | SILICONE TUBE 5X10 60SH L=2000 MM        |     |              |                                          |


| Pos | Article-Nr. | Description                              |
|-----|-------------|------------------------------------------|
| 98  | 286473300   | -M-VDE TURBINE WITH SENSOR KIT           |
| 99  | 0314.804    | FILTRATION CARD 12A                      |
| 100 | 12000132    | ULKA PUMP EP5/S GW 220V-50/60HZ          |
| 100 | 12000140    | ULKA PUMP EP5/S GW 230V-50HZ             |
| 100 | 12000182    | ULKA PUMP EP5/S GW 220V-60HZ             |
| 101 | 229452100   | COMPENSATION AND SAFETY VALVE 16BAR ASSY |
| 102 | U140.004    | PANELVIT TCB 3,0X12 DIN 7505 B GAL       |
| 103 | 128310521   | WASHER UNI 8842 A5 SS                    |
| 104 | 11003555    | GALVANIZED SELF-TAPPING SCREW 4,8X32     |
| 105 | 140321961   | O-RING 2031 TERMOIL                      |
| 106 | 9979.A39    | TEFLON TUBE ASS. 4X2 L.200 7-7           |
| 107 | 149185850   | EATON PUMP SUPPORT 4002012 MAGIC         |
| 108 | 9979.B52    | TEFLON ASS. TUBE 4X2 L.160               |
| 109 | 9979.B53    | TEFLON ASS. TUBE 4X2 L.370 OG-OG         |
| 110 | 9979.B29    | TEFLON ASS. TUBE 2X4 L.280               |
| 111 | 9979.B47    | TEFLON ASS. TUBE 4X2 L.320 OG-OG         |
| 112 | 9161.440    | STEEL SCRAPER FOR STEAM TUBE             |
| 113 | NV99.087    | BAND D=11/11,6                           |

| Pos | Article-Nr. | Description |
|-----|-------------|-------------|
|-----|-------------|-------------|








**INOX BOILER  
REINFORCE SILICONE TUBE  
FROM S/N. 9008R0Y0702583**




| Pos | Article-Nr.  | Description                               | Pos | Article-Nr.  | Description                               |
|-----|--------------|-------------------------------------------|-----|--------------|-------------------------------------------|
| 1   | 16000380     | 5X8,9 SILICONE TUBE IN ROLL               | 46  | 129932202    | ROUND HEAD SCREW 10.9 M5X20 GALV          |
| 2   | 12000140     | ULKA PUMP EP5/S GW 230V-50HZ              | 47  | 189428200    | THERMOSTAT 175° 1NT-08L-3794              |
| 2   | 12000167     | ULKA PUMP EP5/S GW 240V-50HZ              | 48  | 129670202    | TCB PANELVIT SCREW 3,5X16 TESTA D=8 ZNP   |
| 2   | 12000182     | ULKA PUMP EP5/S GW 220V-60HZ              | 49  | 11006501     | BLACK CONNECT.FAST LOCK 90° SILIC.TUBE    |
| 3   | 11010261     | TEA/BRASS INLET CONNECTOR BOILER          | 50  | 11004689     | TEA/BRASS SAFETY VALVE 16-18 BAR ASSY.    |
| 4   | 11010338     | BLACK TUBOL BOILER SUPPORT V2 FOR ROYAL   | 51  | 11006304     | TEA/BRASS CONNECTOR FOR ALUM.BOILER       |
| 5   | 11008569     | SOLE.N.VALVE 15VA 2 WAY 1/8" FEM.TEA 230V | 52  | 126765317    | STEEL SPRING BOILER PISTON MAGIC          |
| 6   | 0314.018.710 | COVER FOR CAPPUCCINA. PAINTED GREY        | 53  | 11009018     | TEA/BRASS PISTON L=15,1 ASSY.             |
| 7   | 9161.135     | SPRING FOR STEAM FAUCET                   | 54  | U110.013     | screw AUT.TCB 3,9X6,5 DIN 7981 F          |
| 8   | 142270200    | TUBE+W/O RETAIN.CAPPUCCINATORE +/-2OR     | 55  | 128310521    | WASHER UNI 8842 A5 SS                     |
| 9   | 142520150    | CAPPUCCINATORE AS.NEUTRAL BLACK           | 56  | 0314.804     | FILTRATION CARD 12A                       |
| 10  | 9991.122.050 | CONN. FOR CAPPUCCINATORE BLACK            | 57  | 0354.809     | CABLE 1WIRE SILIC.BLUE TH/FUSE 192°       |
| 11  | 9972.045     | SILICONE TUBE 3,5X6 L=350 MM DS           | 58  | 11000750     | TEA/BRASS CONNECTOR FOR SILICONE TUBE     |
| 12  | 9161.438     | NUT FOR STEAM TUBE                        | 59  | 16000540     | TRANSPAR.11X12,8 SILICONE TUBE IN ROLL    |
| 13  | 9161.058.150 | INTERNAL PROTECTION FOR TUBE GREY         | 60  | 11011243     | TEA/BRASS CONNECTOR FOR FAUCET            |
| 14  | 9161.055.710 | 7021/GREY STEAM TUBE HANDGRIP             | 61  | 0301.055.150 | LID FOR POWER CABLE CONT. GREY            |
| 15  | 11004225     | SS STEAM TUBE ROYAL ASSY.                 | 62  | NV99.087     | BAND D=11/11,6                            |
| 16  | 129573202    | SCREW TCB TORX 20 M4X8 AUTOFORMING ZN-B   | 63  | 0301.056.150 | POWER CABLE CONT. VDE GREY                |
| 17  | U303.002     | nut HEXAGONAL M12X1,25UNI 5589            | 64  | 11008573     | SOLE.N.VALVE 15VA 2W.1/8"FEM.DN3 TEA 230V |
| 18  | 11008452     | TEA/BRASS SUPPORT FOR 90°CONNECTOR        | 65  | U110.003     | screw AUT.TCB 3,5X9,5 DIN 7981 F          |
| 19  | NM02.007     | OR 2025 IN TERMOIL                        | 66  | 126838017    | SENSOR FIXING SPRING                      |
| 20  | 11008451     | TEA/BRASS 90°CONNECT.FOR CAPPUCCINATORE   | 67  | 145951600    | ELECTRIC INSULATING D=16 SP=0,4           |
| 21  | 11010243     | TEA/BRASS 90° DOUBLE CONNECTOR            | 68  | U140.009     | PANELVIT TCB 3,0X16 DIN 7505 B GAL        |
| 22  | 9161.126.150 | COVER FOR FILTER CARD GREY                | 69  | 9161.440     | STEEL SCRAPER FOR STEAM TUBE              |
| 23  | NE01.114     | POWER CABLE AUSTRALIA                     | 70  | 147920150    | 90° INLET PUMP CONNECTOR                  |
| 23  | NE01.115     | CAVO ALIMMENTAZIONE TAIWAN 3POL.230V      | 71  | U207.004     | PLAIN WASHER 4,3X16 UNI 6592 GAL          |
| 23  | NE01.120     | BLACK POWER CABLE SCHUKO L=1500           | 72  | 9011.132     | SS SPRING FOR PIN                         |
| 23  | NE01.129     | BLACK POWER CABLE RVV 3X1 CHINA L=1500    | 73  | 11009013     | TEA/BRASS PIN FOR PISTON L=10             |
| 23  | 11001845     | BLACK POW.CABLE KOREA L=1600              | 74  | 129512503    | SCREW TCB 2,9X9,5 DIN 7981 NICK           |
| 24  | 11008453     | TEA/BRASS 90° CONNECTOR FOR FAUCET EV.    | 75  | 0354.804     | CONNECTOR ASS.3 POLES WITH THERMO. 100°   |
| 25  | 140324461    | OR ORM 0060-20 TERMOIL                    | 76  | 0347.817     | 3POLES CONNECTOR TURBINE ASSY.            |
| 26  | 0347.017.710 | GREY STEAM KNOB RAL 7021 SERIG.           | 77  | NE09.006     | THERMOSTAT 170°NC FAST. 90°+WASHER        |
| 27  | 9161.057     | STEAM FAUCET ROD                          | 78  | U046.003     | SCREW TCBD TORX 20 M4X12 ZN-B             |
| 28  | 140321461    | O-RING 2018 EPDM                          | 79  | 9011.187     | THERMOSTAT RETAINING SPRING               |
| 29  | 11009006     | TEA/BRASS FAUCET BODY                     | 80  | 149185850    | EATON PUMP SUPPORT 4002012 MAGIC          |
| 30  | U109.027     | SCREW TCB TORX 10 AB 2,9X19 SHEET SS      | 81  | 140328059    | OR 2015 SILICONE PTFE/FDA                 |
| 31  | NE05.013     | MICROSWITCH SAIA XGK52-81-J23             | 82  | 288582300    | SENSOR ELECT.BOARD WITH CONNECTOR         |
| 32  | 11009072     | INSULATE PROTECTION 24X38,8 FOR MICRO     | 83  | 140321961    | ASSY O-RING 2031 TERMOIL                  |
| 33  | 0312.011     | STEEL STEAM FAUCET BRACKET ROYAL          | 84  | 9011.144     | SS FORK FOR TUBE D=4                      |
| 34  | 11000839     | BLACK CLOSURE PLATE                       | 85  | 147920800    | Y CONNECTOR D=8 ART.80.26.048 KA.466      |
| 35  | 0334.822     | CABLE 1 WIRE SILIC.WHITE TH/FUSE 216°     | 86  | 11003555     | GALVANIZED SELF-TAPPING SCREW 4,8X32      |
| 36  | 126838117    | 2 THERMOSTATS FIXING SPRING               | 87  | 128310321    | WASHER UNI 8842 A3 SS                     |
| 37  | 11004667     | V5 TUB.BOILER W/ADDIT.RESIST.1100W 230V   | 88  | 11009012     | TEA/BRASS BOILER PIN BUSH                 |
| 38  | 0314.820     | CONNECTOR 3POLES 1st SYSTEM ASSY.         | 89  | 11009019     | TEA/BRASS PISTON L=20,9 ASSY.             |
| 39  | U110.004     | screw AUT.TCB 3,5X6,5 DIN 7981 F          | 90  | 9161.434     | HOT WATER PIN                             |
| 40  | 0354.006     | BRACKET FOR PUMP 2                        | 91  | 144650300    | ASPIRATION FILTER GAUZE NET 500 (NEW)     |
| 41  | 11010390     | BLECKMANN BOILER V2 PROFESS.230V ASSY.    | 92  | NM01.035     | OR ORM 0090-20 SILICONE                   |
| 42  | 11004424     | ALUM.SPACER FOR PHILIPS SENSOR M5000      | 93  | 11005099     | NATURAL CURSOR V2 FOR BOILER P119         |
| 43  | 9019.A72     | SENSOR ROYAL ASSY.                        | 94  | NM01.057     | OR ORM 0050-20 IN SILICONE                |
| 44  | 12000892     | OETIKER CLAMP D=9,5 16700004              | 96  | 9161.018     | BRACKET FOR TURBINE                       |
| 45  | 11008875     | TEA/BRASS CONNECTOR 1/8" FOR TUBE D=4     | 97  | JS01.022     | SILICONE TUBE 5X10 60SH IN ROLL           |
| 98  | 286473300    | -M-VDE TURBINE WITH SENSOR KIT            |     |              |                                           |
| 100 | 11010339     | BOILER V2 ROYAL CAPP.230V ASSY.           |     |              |                                           |




| Pos | Article-Nr.  | Description                              | Pos | Article-Nr. | Description                           |
|-----|--------------|------------------------------------------|-----|-------------|---------------------------------------|
| 1   | 0301.866     | CONNECTOR ASS. 2 POLE DOSER COIL         | 50  | 140230400   | SHOCK ABS .CONICAL GRINDER SUPP.MAGIC |
| 2   | 9129.A21.00A | DOSER COIL FOR SUPERAUTOM.230V ASSY.     | 51  | 128610521   | STAIL.STEEL AISI 304 SPHERE D=5,5MM   |
| 3   | 126764818    | SPRING ELECTROM.BEAN DOSER MAGIC         |     |             |                                       |
| 4   | U701.003     | SNAP RING 7 UNI 7434                     |     |             |                                       |
| 5   | 9161.041     | STEEL GROUND COF.DOSER ELECTROMAGN.CORE  |     |             |                                       |
| 6   | 9161.048     | STEEL GROUND COF.DOSER SCRAPER ROD       |     |             |                                       |
| 7   | 129913902    | SCREW TCB TORX 10 3X12 PLAST.ZN-B        |     |             |                                       |
| 8   | 9161.076.150 | GREY GROUND COF.DOSER DOOR PIN           |     |             |                                       |
| 9   | NE05.017     | MICROSWITCH                              |     |             |                                       |
| 10  | 9161.072.150 | GREY MICRO SUPP.CURSOR GROUND COF.DOSER  |     |             |                                       |
| 11  | 9161.074.150 | GREY GROUND COFFE DOSER DOOR             |     |             |                                       |
| 12  | 9161.073.150 | GREY GROUND COF.DOSE CONTROL COMPENSATOR |     |             |                                       |
| 13  | 9161.082     | RUBBER COUPLER                           |     |             |                                       |
| 14  | 9161.223.150 | COMPL.HOPP.FOR POWDER COFFEE GRE.        |     |             |                                       |
| 15  | 9161.382     | INSULATOR FOR COFFEE GRINDER             |     |             |                                       |
| 16  | 20000170     | MOTOR SPARE UNIT 208V                    |     |             |                                       |
| 16  | 0301.R10.00A | SPARE MOTOR UNIT MC 230V                 |     |             |                                       |
| 17  | 9161.366.150 | GREY/7016 SUPPORT FOR INSULATOR          |     |             |                                       |
| 18  | 0301.811     | CONNECTOR 2 POLES LEVEL ASSY.            |     |             |                                       |
| 19  | 0301.869     | CONNECTOR ASS. 2 POLE COFFEEGRINDE       |     |             |                                       |
| 20  | U043.004     | ZN-B TCB SCREW M4X16                     |     |             |                                       |
| 21  | 9991.005     | RUBBER FOR COFFEE GRINDER                |     |             |                                       |
| 22  | 9141.003     | SPACER FOR RUBBER                        |     |             |                                       |
| 23  | U324.006     | NUT M4 FLANGED INDENTED BASE             |     |             |                                       |
| 24  | 9161.365.150 | GREY PLATE COFFEEGRINDER MAGIC/ROYAL     |     |             |                                       |
| 25  | 1505.014     | COFFEEGRINDER SEAL                       |     |             |                                       |
| 26  | 140360200    | FELT RING 40X34X5                        |     |             |                                       |
| 27  | 9161.097.150 | GREY GROUND COF.DOSER LEVER FIXING PLATE |     |             |                                       |
| 28  | NE05.037     | MICROSWITCH                              |     |             |                                       |
| 29  | 1505.020     | GASKET COFFEE GRINDER UL                 |     |             |                                       |
| 30  | 9161.080.710 | GREY LEVER GRINDING SETTING              |     |             |                                       |
| 31  | 9991.103     | ANTIVIBRATION FOR COFFEEGRINDER          |     |             |                                       |
| 32  | 144320200    | SELF LOCK STRIP W=2.6 L=200              |     |             |                                       |
| 33  | 126765517    | STEEL SPRING SPHERE D=5,5 MOTOR MAGIC    |     |             |                                       |
| 34  | U201.001     | PLAIN WASHER 3,2X9 DIN 7349 GALV.        |     |             |                                       |
| 35  | 0313.003.150 | 7016/GREY GROUND COF.DOSER ADJUSTM.LEVER |     |             |                                       |
| 36  | 9161.403.150 | GREY COFFEE DOSE ADJUSTAMENT SCALE       |     |             |                                       |
| 37  | 9140.035.00A | ASS.MACINACAFFE'ITA 230V                 |     |             |                                       |
| 37  | 9140.036.00A | COFFEE GRINDER STD 230V ASSY.            |     |             |                                       |
| 37  | 9140.036.00Z | COFFEE GRINDER STD 208V ASSY.            |     |             |                                       |
| 38  | 149186150    | BLACK UPPER GRINDER SUPPORT MAGIC        |     |             |                                       |
| 40  | 142844550    | UPPER GRINDER COVER COFFEE GRIND. MAGIC  |     |             |                                       |
| 41  | 129931002    | TORX SCREW T10 TCB 3,5X40 SX ZNG         |     |             |                                       |
| 42  | 147470763    | BLK INCREASE SCREW PIN COF.GRINDER MAGIC |     |             |                                       |
| 43  | U201.002     | PLAIN WASHER 10X16X0,2DIN 988 GAL        |     |             |                                       |
| 44  | 226477700    | KIT ITAL MILL GRINDERS                   |     |             |                                       |
| 45  | 149188750    | CONICAL GRIND. SUPP. + RING MAGIC        |     |             |                                       |
| 46  | 146570950    | RING NUT FOR GRINDING ADJUSTMENT MAGIC   |     |             |                                       |
| 47  | 128610421    | STAIL.STELL AISI 304 SPHERE D=3,2MM      |     |             |                                       |
| 48  | 126770117    | NEW SPRING SPHERE D=3,2 MOTOR MAGIG      |     |             |                                       |
| 49  | 9141.080     | BLACK COFFEE GRINDER MOTOR SUPPORT       |     |             |                                       |



| Pos | Article-Nr.  | Description                              | Pos | Article-Nr. | Description |
|-----|--------------|------------------------------------------|-----|-------------|-------------|
| 1   | 9120.055.150 | RATIOMOTOR ROYAL WITH GREY TUBE ASSY.    |     |             |             |
| 3   | 129670202    | TCB PANELVIT SCREW 3,5X16 TESTA D=8 ZNP  |     |             |             |
| 4   | 17000719     | GREY RATIOMOTOR LID RYL                  |     |             |             |
| 5   | 9121.069.150 | GEAR Z=108 FOR MOUNTING PLATE M4000      |     |             |             |
| 6   | 9161.368     | MYLAR WASHER FOR RATIOMOTOR              |     |             |             |
| 7   | NE05.038     | MICROSWITCH SAIA XCG5-81-P5              |     |             |             |
| 8   | 9161.429     | PASSACAVO GRANDE X SQUADRETTA            |     |             |             |
| 9   | 11027899     | GREY RATIOMOTOR CASING W/DUCT V2 ASSY.   |     |             |             |
| 10  | 148380200    | BAKELIZZATE WASHER D=5,5                 |     |             |             |
| 11  | 9121.046     | BRONZE SINTERED BUSH FOR MOTOR RATIOMOT. |     |             |             |
| 12  | 9120.056     | GEN.MOTOR FOR RATIOMOTOR ROYAL CAPPUC.AS |     |             |             |
| 13  | 9121.044     | ANTIVIBRATION FOR MOTOR                  |     |             |             |
| 14  | 9121.042     | GEAR Z=12/90                             |     |             |             |
| 15  | U110.004     | screw AUT.TCB 3,5X6,5 DIN 7981 F         |     |             |             |
| 16  | 0360.025     | MYLAR GUARD FOR ELECTRONICS              |     |             |             |
| 17  | 9161.427.050 | PROTECTION BRACKET                       |     |             |             |
| 18  | NE17.002     | ADH.CABLE RETAI.ROUND CABLE D=10MM       |     |             |             |
| 19  | 0354.004.770 | SILVER SERIGRAPHEO ESCUTCHEON            |     |             |             |
| 20  | 20000490     | KIT PROGRAMMER SERKIT                    |     |             |             |
| 21  | 0347.816     | DISPLAY FOR ROYAL REDESIGN               |     |             |             |
| 22  | 11006458     | SILVER ELECTRONICS SUPPORT ROYAL         |     |             |             |
| 23  | 0347.015     | ADHESIVE FOR PACKAGING                   |     |             |             |
| 24  | 0354.812     | SCHEDA CPU CAPPUCINO ITA                 |     |             |             |
| 24  | 0354.801     | CPU/TOUCH PANEL CAPPUCINO STD 95         |     |             |             |
| 24  | 0354.806     | CPU/TOUCH PANEL CAPPUCINO STD 95         |     |             |             |
| 24  | 0354.807     | CPU/TOUCH PANEL CAPPUCINO STD            |     |             |             |
| 25  | 0348.801     | WHOLE KEYBOARD DIGITAL PLUS              |     |             |             |
| 26  | 184950300    | FUSE T32 M.AMP.5X20 DELAYED              |     |             |             |
| 26  | 184950400    | FUSE T8 AMP.5X20 SAND-BLASTED            |     |             |             |
| 27  | 149090500    | DOUBLE SIDED ADHESIVE STRIP              |     |             |             |
| 28  | 129913202    | SCREW TCB TORX 10 3X8 PLAST.ZN-B         |     |             |             |
| 29  | 0354.R01.77A | SPARES WHOLE ELECTRONICS                 |     |             |             |
| 29  | 0354.R03.77A | SPARES WHOLE ELECTRONICS                 |     |             |             |
| 29  | 0354.R03.77Z | SPARES WHOLE ELECTRONICS                 |     |             |             |
| 30  | 0354.802.00A | POWER CARD CAPPUCINO 230V                |     |             |             |
| 30  | 0354.808.00A | POWER CARD CAPPUCINO 230V                |     |             |             |
| 30  | 0354.808.00Z | POWER CARD CAPPUCINO 230V                |     |             |             |
| 31  | 128310404    | WASHER UNI 8842 A4 BURNISHED             |     |             |             |
| 32  | 20007052     | SPARES KIT GEARS FOR RATIOMOTOR RYL      |     |             |             |



33



| Pos | Article-Nr.  | Description                              | Pos | Article-Nr. | Description |
|-----|--------------|------------------------------------------|-----|-------------|-------------|
| 1   | 9161.367.150 | GREY COFF.OUTLET SLEEVE BREW UNIT ROYAL  |     |             |             |
| 2   | 9161.222     | SS.CONICAL SPRING                        |     |             |             |
| 3   | 9991.168     | GLASS SPHERE D.5 MM                      |     |             |             |
| 4   | NM02.013     | OR ORM 0080-15 TERMOIL                   |     |             |             |
| 5   | 9161.193.150 | GREY BREW UNIT COUNTERPISTON M5000       |     |             |             |
| 6   | NM01.044     | OR ORM 0320-40 SILICONE PTFE/FDA         |     |             |             |
| 7   | 9161.067.150 | GREY BREW UNIT COUPLING PLATE            |     |             |             |
| 8   | 9161.070.150 | GREY BREW UNIT REAR PLATE M5000          |     |             |             |
| 9   | U140.019     | SCREW TCB TORX 10 3X16 PLAST SS          |     |             |             |
| 10  | 227470150    | PIN BLACK ASS.FOR PERCOLATOR             |     |             |             |
| 10  | 227470159    | PIN GREY ASS.FOR PERCOLATOR              |     |             |             |
| 11  | NM02.006     | OR R5 TERMOIL                            |     |             |             |
| 12  | 9161.064.150 | GREY WATER INLET SLEEVE BREW UNIT ROYAL  |     |             |             |
| 13  | NM02.007     | OR 2025 IN TERMOIL                       |     |             |             |
| 14  | 0301.R04.150 | GREY WATER INLET SLEEVE BREW UNIT ASSY.  |     |             |             |
| 15  | 223740300    | PERCOLATOR DE=35,8 ASSY.                 |     |             |             |
| 15  | 9160.075     | PERCOLATOR DE=35,8 ELFO ASSY.            |     |             |             |
| 16  | 9161.195.150 | GREY BREW UNIT COFF.CONTAINER M5000 ASSY |     |             |             |
| 17  | 9161.066.150 | GREY BREW UNIT ELBOW SHAFT M5000         |     |             |             |
| 18  | 9161.071.150 | GREY BREW UNIT FRONT PLATE M5000         |     |             |             |
| 19  | 9161.094.150 | GREY BREW UNIT DRILLED BLOCK             |     |             |             |
| 20  | 9161.060.150 | GREY SCRAPER FOR BREW UNIT M5000         |     |             |             |
| 21  | U140.020     | PANELVIT TCB 3,0X16 DIN 7505 B SS        |     |             |             |
| 22  | 9161.306.150 | GREY BREW UNIT INTEGRAL PISTON 8GR.ASSY. |     |             |             |
| 23  | 9161.198     | SS.8GR.BREW UNIT PISTON SPRING           |     |             |             |
| 24  | 9161.191     | WHITE 8GR.-12GR.BREW UNIT PISTON BUSH    |     |             |             |
| 25  | NM02.018     | OR ORM 0090-25 TERMOIL                   |     |             |             |
| 26  | 9161.343.150 | GREY 8GR.BREW UNIT NTEGR.PISTON GEN.ASSY |     |             |             |
| 27  | 9161.065.150 | GREY CONNECTING ROD BREW UNIT 8GR.       |     |             |             |
| 28  | 9161.123.150 | GREY HOPPER COFF.BREW UNIT S/SCR.M5000   |     |             |             |
| 29  | 9161.046     | SS SCRAPER SPRING FOR BREW UNIT          |     |             |             |
| 30  | U109.026     | SS.SCREW AUT.TCB 3,5X19 DIN 7981 C       |     |             |             |
| 31  | 9161.045     | SS BREW UNIT HANDGRIP SPRING M5000       |     |             |             |
| 32  | 9161.069.150 | GREY BREW UNIT HANDGRIP M5000            |     |             |             |
| 33  | 11003800     | BLACK BREW UNIT MAGIC/ROYAL              |     |             |             |