

Bibliography Mobil-O-Graph® 24h PWA Monitor

(Data listed in order of publishing date - Most recent first)

2015

Pulse wave reflections and their diurnal changes in patients with Marfan syndrome compared to healthy controls. Bernhard Hametner, Matthias Hillebrand, Ghazaleh Nouri, Stephanie Parragh, Jelena Köster, Kai Mortensen, Achim Schwarz, Yskert von Kodolitsch, Siegfried Wassertheurer. *ARTERY* 2015, P3.4, October 2015 (Ref #216)

Ambulatory and office central systolic blood pressure is more closely associated with left ventricular mass than ambulatory and office peripheral systolic blood pressure in a young normotensive population. Maria Kearney, James Thomas, Niamh Chapman, Laura Watkeys, Margaret Munnery, John Cockcroft, Rob Shave, Carmel McEniery, Eric Stöhr, Barry McDonnell. *ARTERY* 2015, P6.13, October 2015. (Ref #215)

Ambulatory aortic stiffness, independently of static, associates with narrower retinal arteriolar calibers in hypertensives: the SAFAR study. Evaggelia K Aissopou, Antonios A Argyris, Efthimia G Nasothimiou, George D Konstantonis, Konstantinos Tampakis, Nikolaos Tentolouris, Miltiadis Papatthanassiou, Panagiotis G Theodossiadis, Theodoros G Papaioannou, Coen D.A Stehouwer, Petros P Sfrikakis, Athanassios D Protogerou. *ARTERY* 2015, P2.4, October 2015. (Ref #214)

Alcohol intake is associated with 24-hour aortic blood pressure in a young healthy student cohort. James Thomas, Niamh Chapman, Laura Watkeys, Maria Kearney, Sue King, Eric Stohr, John Cockcroft, Margaret Munnery, Carmel McEniery, Barry McDonnell. *ARTERY* 2015, P6.10, October 2015. (Ref #213)

Soluble IL-6 Receptor concentrations are associated with augmentation index in healthy young males. Matthew Armstrong, Cat Singh, Laura Watkeys, Linnet Thekkemuriyil, Jordan Tucker, Zoe Marshall, Richard Webb, Barry McDonnell. *ARTERY* 2015, P1.11, October 2015. (Ref #212)

The effect of physical activity on 24-hour Augmentation Index. Niamh Chapman, James Thomas, Maria Kearney, Laura Watkeys, Margaret Munnery, John R Cockcroft, Carmel M McEniery, Eric J Stohr, Barry J McDonnell. *ARTERY* 2015, P6.14, October 2015. (Ref #211)

Zusammenhang zwischen maximaler Sauerstoffaufnahme und arterieller Gefäßsteifigkeit in Ruhe und während eines Cold Pressor Tests. F. Milatz, S. Ketelhut, R. G. Ketelhut. *J KARDIOL* 2015; 22 (Ref #210)

The Diurnal Profile of Central Hemodynamics in a General Uruguayan Population. José Boggia, Leonella Luzardo, Inés Lujambio, Mariana Sottolano, Sebastián Robaina, Lutgarde Thijs, Alicia Olascoaga, Oscar Noboa, Harry A. Struijker-Boudier, Michel E. Safar, Jan A. Staessen. *Am J Hypertens.* 2015 Oct 16. pii: hpv169 (Ref #209)

Differential response to endothelial epithelial sodium channel inhibition ex vivo correlates with arterial stiffness in humans. Malte Lenders, Verena Hofschroer, Boris Schmitz, Bernd Kasprzak, Astrid Rohlmann, Markus Missler, Hermann Pavenstädt, Hans Oberleithner, Stefan-Martin Brand, Kristina Kusche-Vihrog, Eva Brand. *Journal of Hypertension* 2015, 33:000–000 (Ref #208)

N-terminal pro-B-type natriuretic peptide is associated with aortic stiffness in patients presenting with acute myocardial infarction. Hans-Josef Feistritzer, Sebastian J Reinstadler, Gert Klug, Christian Kremser, Andrea Rederlechner, Johannes Mair, Silvana Müller, Wolfgang-Michael Franz, Bernhard Metzler. *Eur Heart J Acute Cardiovasc Care.* 2015 Oct 9. pii: 2048872615610866 (Ref #207)

Crosstalk between arterial stiffness, arterial age and blood count in hematologic malignancies. Ioana Mozos, Rodica Mihaescu. *Jokull (Impact Factor: 0.77).* 09/2015; 65(9):105-115. (Ref #206)

Clinical Effects of Phosphodiesterase 3A Mutations in Inherited Hypertension With Brachydactyly. Toka O, Tank J, Schächterle C, Aydin A, Maass PG, Elitok S, Bartels-Klein E, Hollfinger I, Lindschau C, Mai K, Boschmann M, Rahn G, Movsesian MA, Müller T, Doescher A, Gnoth S, Mühl A, Toka HR, Wefeld-Neuenfeld Y, Utz W, Töpper A, Jordan J, Schulz-Menger J, Klusmann E, Bähring S, Luft FC. *Hypertension.* 2015 Oct;66(4):800-8 (Ref #205)

The relationship between nephropathy, retinopathy, obesity and arterial stiffness in type 2 diabetes mellitus. Bilgin Demir, Sibel Demiral Sezer, Ömercan Topaloğlu, Emin Taşkıran, Burcu Işık, Utku Erdem Soyaltın, Harun Akar. *FNG & Bilim Tıp Dergisi* 2015;1(2):59-67 (Ref #204)

Assessment of central aortic pressure and its association to all cause mortality critically depends on wave form calibration. Siegfried Wassertheuer, Marcus Baumann. J Hypertens. 2015 Sep;33(9):1884-9. doi: 10.1097 (Ref #203)

CAN WE USE THE CONCEPT OF "ARTERIAL AGING" TO PREDICT BLOOD PRESSURE LEVELS? Weber T, Fitscha P, Hametner B, Wyrzens C, Wassertheurer S, Kellermair J, Eber B. J Hypertens. 2015 Jun;33 Suppl 1:e26. doi: 10.1097/01.hjh.0000467419.26688.b0. (Ref#202)

24 months follow up of the Luebeck and Erlangen RDN registry: RDN improves 24 h peripheral and central blood pressure as well as 24h-arterial stiffness 24 months follow up of the Luebeck and Erlangen RDN registry: RDN improves 24 h peripheral and central blood pressure as well as 24h-arterial stiffness. K.F. Franzen, K. Mortensen, T. Graf, J. Weil, R.M. Schmieder, C. Ott, M. Reppel. European Heart Journal (2015) 36 (Abstract Supplement), 1055 (Ref#201)

Ambulatory 24-hour cardiac oxygen consumption and blood pressure-heart rate variability: effects of nebivolol and valsartan alone and in combination. Izzo JL Jr, Khan SU, Saleem O, Osmond PJ. J Am Soc Hypertens. 2015 Jul;9(7):526-35. doi: 10.1016 (Ref#200)

EVALUATION OF CENTRAL BLOOD PRESSURE DURING A VERY LONG DISTANCE WALKING. Vitorino PV1, Souza WK, Pereira EN, Rezende JM, Arantes AC, Marques NG, Silva AA, Pinheiro MC, Jardim TS, Jardim PC, Sousa AL. J Hypertens. 2015 Jun;33 Suppl 1:e6-7. (Ref#199)

24H CENTRAL BLOOD PRESSURE AND PULSE WAVE VELOCITY MONITORING IN NORMOTENSIVE, HYPERTENSIVE, WHITE COAT HYPERTENSION AND MASKED HYPERTENSION YOUNG ADULTS. Faria RA, Brandao AA, Pozzan R, Paiva AG, Magalhaes ME, Campana EM, Fonseca FL, Gomes MA. J Hypertens. 2015 Jun;33 Suppl 1:e39 (Ref#198)

HIGH FREQUENCY OF MASKED HYPERTENSION AND ASSOCIATED ARTERIAL STIFFNESS IN AFRICANS. Schutte AE, Ware LJ, Rennie KL, Gafane LF, Nell TM, Thompson JE, Schutte R. J Hypertens. 2015 Jun;33 Suppl 1:e75 (Ref#197)

24-HOUR AMBULATORY CENTRAL BLOOD PRESSURE VARIABILITY AND TARGET-ORGAN DAMAGE IN ADOLESCENTS AND YOUNG ADULTS. Ntineri A, Kollias A, Zeniodi M, Moyssakis I, Georgakopoulos D, Servos G, Vazeou A, Stergiou GS. J Hypertens. 2015 Jun;33 Suppl 1:e34 (Ref#196)

COMPARISON OF CENTRAL HEMODYNAMIC INDICES FOR PREDICTING THE PRESENCE AND SEVERITY OF CORONARY ARTERY DISEASE USING A BRACHIAL CUFF-BASED OSCILLOMETRIC DEVICE. Nakagomi A, Okada S, Shoji T, Kobayashi Y. J Hypertens. 2015 Jun;33 Suppl 1:e30 (Ref#195)

DIFFERENTIAL EFFECTS NEBIVOLOL AND VALSARTAN ALONE AND IN COMBINATION ON 24-HOUR AMBULATORY RATE-PRESSURE PRODUCT, STROKE LOAD, AND BLOOD PRESSURE-HEART RATE VARIABILITY. Izzo J, Saleem O, Khan S, Osmond P. J Hypertens. 2015 Jun;33 Suppl 1:e93 (Ref#194)

24 HOUR MODULATION OF PERIPHERAL AND CENTRAL BLOOD PRESSURE, HEART RATE AND ARTERIAL STIFFNESS IN HEART TRANSPLANT HYPERTENSIVE INDIVIDUALS. Varrenti M, Meani P, Giupponi L, Vallerio P, Ferrari E, Stucchi M, Maloberti A, Bruno J, Turazza F, Parati G, Frigerio M, Giannattasio C. J Hypertens. 2015 Jun;33 Suppl 1:e5 (Ref#193)

The Association Between the Cardio-ankle Vascular Index and Other Parameters of Vascular Structure and Function in Caucasian Adults: MARK Study. Gomez-Sanchez L, Garcia-Ortiz L, Patino-Alonso MC, Recio-Rodriguez JI, Frontera G, Ramos R, Martí R, Agudo-Conde C, Rodriguez-Sanchez E, Maderuelo-Fernández JA, Gomez-Marcos MA. J Atheroscler Thromb. 2015 May 20 (Ref#192)

Coronary collateral development and arterial stiffness in patients with chronic coronary total occlusions. Baykan AO1, Gür M, Acele A, Şeker T, Quisi A, Yildirim A, Çaylı M. Scand Cardiovasc J. 2015 Aug;49(4):228-34 (Ref#191)

The relationship between weight, height and body mass index with hemodynamic parameters is not same in patients with and without chronic kidney disease. Afsar B, Elsurur R, Soy pacaci Z, Kanbay M. Clin Exp Nephrol. 2015 Jun 19 (Ref#190)

Increased arterial stiffness and its relationship with inflammation, insulin, and insulin resistance in celiac disease. Korkmaz H, Sozen M, Kebapçılar L. Eur J Gastroenterol Hepatol. 2015 Jul 15 (Ref#189)

The Relationship between Serum Oxalic Acid, Central Hemodynamic Parameters and Colonization by Oxalobacter formigenes in Hemodialysis Patients. Gulhan B, Turkmen K, Aydin M, Gunay M, Cikman A, Kara M. *Cardiorenal Med.* 2015 Jun;5(3):164-74. (Ref#188)

The effect of Ovation Stent-Graft System on aortic pulse wave velocity: preliminary report on three cases. Georgakarakos E, Argyriou C, Ioannou CV, Kontopodis N, Lazarides MK. *Ann Vasc Surg.* 2015 Aug 6 (Ref#187)

Non-dipping blood pressure patterns and arterial stiffness parameters in patients with Behcet's disease. Celik G, Yilmaz S, Ergulu Esmen S. *Hypertens Res.* 2015 Aug 13 (Ref#186)

Ambulatory Aortic Stiffness Is Associated With Narrow Retinal Arteriolar Caliber in Hypertensives: The SAFAR Study. Aissopou EK, Argyris AA, Nasothimiou EG, Konstantonis GD, Tampakis K, Tentolouris N, Papathanassiou M, Theodossiadiis PG, Papaioannou TG, Stehouwer CD, Sfrikakis PP, Protogerou AD. *Am J Hypertens.* 2015 Aug 24 (Ref#185)

Central arterial characteristics of gout patients with chronic kidney diseases. Celik G, Yilmaz S, Kebapcilar L, Gundogdu A. *Int J Rheum Dis.* 2015 Jul 14 (Ref#184)

Increased intima-media thickness is not associated with stiffer arteries in children. Weberruß H, Pirzer R, Böhm B, Elmenhorst J, Pozza RD, Netz H, Oberhoffer R. *Atherosclerosis.* 2015 Sep;242(1):48-55. (Ref#183)

CENTRAL AMBULATORY VERSUS CLINIC BLOOD PRESSURE: ASSOCIATION WITH TARGET ORGAN DAMAGE IN ADOLESCENTS AND YOUNG INDIVIDUALS. A. Ntineri, A. Kollias, M. Zeniodi, I. Moyssakis, D. Georgakopoulos, G. Servos, A. Vazeou, G.S. Stergiou. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e479 (Ref#182)*

INFLUENCE OF EXERCISE INTERVENTION ON BLOOD PRESSURE, ARTERIAL STIFFNESS AND MOTOR PERFORMANCE IN 7YEAR OLD CHILDREN. S. Ketelhut, C. Hacke, R.G. Ketelhut, K. Ketelhut. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e482 (Ref#181)*

INFLUENCE OF AEROBIC CYCLING ON STRESS TESTRELATED ARTERIAL COMPLIANCE AND ITS RELATIONSHIP TO MAXIMAL OXYGEN CONSUMPTION. F. Milatz, S. Ketelhut, R.G. Ketelhut. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e275-276 (Ref#180)*

BLOOD PRESSURE/HEART RATE VARIABILITY IN HOME BLOOD PRESSURE MONITORING: ITS RELATIONSHIP WITH ARTERIAL STIFFNESS. P. Kempny, S. Gonzalez, C. Castellaro, P. Forcada, J. Chiabaut Svane, S. Obregon, C. Kotliar. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e290 (Ref#179)*

HIGHER NEUTROPHIL TO LYMPHOCYTE RATIO AND HYPERDYNAMIC CIRCULATION COULD MEDIATE RISK OF ARTERIAL STIFFNESS IN DEPRESSIVE SUBJECTS. S. Obregon, M. Haehnel, E. Huguet, M. Cadenas, L. Brandani, M. Koretzky, G. Manccanelli, P. Pardini, E. Perasso Dulude, D. Sabate, L. Vigna, P. Carrizo, C. Kotliar. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e308 (Ref#178)*

AN ASSESSMENT OF PULSE WAVE VELOCITY BY ARTERIOGRAPH AND MOBILOGRAPH IN BARBADIANS. C.E. Mills, H.H. Jenkins, K. Connell, J.K. Cruickshank. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e309 (Ref#177)*

SERUM GLUCOSE LEVELS AND ITS ASSOCIATION WITH VASCULAR STRUCTURE AND FUNCTION IN ADULTS WITH INTERMEDIATE CARDIOVASCULAR RISK. MARK STUDY. L. Gomez-Sánchez, L. García-Ortiz, J. Recio-Rodríguez, M. Patino-Alonso, C. Agudo-Conde, M. Gomez-Sánchez, E. Rodriguez-Sánchez, J. Maderuelo-Fernández, F. Rigó, R. Ramos-Blanes, R. Martí, D. Parramont, G. Frontera, M. Gomez-Marcos. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e311 (Ref#176)*

24 HOURS CENTRAL BLOOD PRESSURE AND PULSE WAVE VELOCITY MONITORING IN NORMOTENSIVE AND UNTREATED HYPERTENSIVE YOUNG ADULTS. A. Brandao, R. Almeida De Faria, R. Pozzan, A. Gomes Paiva, E. Goncalves Campana, M. Campos Magalhaes, F. Lopes Fonseca, M. Mota Gomes. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e312 (Ref#175)*

DIFFERENTIAL 24HOUR AMBULATORY HEMODYNAMIC EFFECTS OF NEBIVOLOL AND VALSARTAN ALONE AND IN COMBINATION. O. Saleem, S.U. Khan, P.J. Osmond, J.L. Izzo. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e325 (Ref#174)*

PERIPHERAL, CENTRAL NON INVASIVE HEMODYNAMICS AND ARTERIAL SITFFNESS IN EARLY PUERPERIUM NORMAL AND COMPLICATED HYPERTENSIVE DISEASE PREGNANCY. J. Lopez-Rivera, M. Cedeno-Buitrago, J. Lopez-Saavedra, S. Scrocchi, M. Badillo. *Journal of Hypertension Volume 33, eSupplement 1, 2015, e348-349 (Ref#173)*

ARTERIAL HYPERTENSION: URIC ACID AND CARDIOVASCULAR RISK. A.J. Ramirez, R. Sanchez. Journal of Hypertension Volume 33, eSupplement 1, 2015, e383 (Ref#172)

LIFESTYLES AND VASCULAR STRUCTURE AND FUNCTION PARAMETERS. MARK STUDY. L. García-Ortiz, C. Agudo-Conde, R. Ramos-Blanes, J. Recio-Rodríguez, R. Martí, E. Rodríguez-Sánchez, F. Rigó, G. Frontera, J. Maderuelo-Fernández, M. Patino-Alonso, B. Sánchez-Salgado, C. Rodríguez-Martín, A. De Cabo Laso, M. Castano Sánchez, M. Gomez-Marcos. Journal of Hypertension Volume 33, eSupplement 1, 2015, e 149 (Ref#171)

24HOUR AMBULATORY CENTRAL VERSUS PERIPHERAL BLOOD PRESSURE VARIABILITY IN YOUNG INDIVIDUALS. A. Ntineri, A. Kollias, M. Zeniodi, A. Vazeou, G.S. Stergiou. Journal of Hypertension Volume 33, eSupplement 1, 2015, e 161 (Ref#170)

BOTH CALIBRATION MODE AND SEX DIFFERENCE AFFECT THE CENTRAL BLOOD PRESSURE MEASURED BY A BRACHIAL CUFFBASED MONITORING DEVICE IN JAPANESE CARDIOVASCULAR PATIENTS. T. Shoji, S. Okada, A. Nakagomi, Y. Kobayashi. Journal of Hypertension Volume 33, eSupplement 1, 2015, e179 (Ref#169)

COMPARISON OF INVASIVE AND NONINVASIVE METHOD FOR ASSESSMENT OF PULSE PRESSURE AMPLIFICATION. A. Nakagomi, S. Okada, T. Shoji, Y. Kobayashi. Journal of Hypertension Volume 33, eSupplement 1, 2015, e179-180 (Ref#168)

COMPARATIVE STUDY OF TWO AMBULATORY BLOOD PRESSURE MONITORS THAT USE DIFFERING METHODS OF CALIBRATION TO DETERMINE CENTRAL AORTIC BLOOD PRESSURE FROM THE BRACHIAL WAVEFORM. P. Hathway, M. Butlin, M. Turner, A.P. Avolio. Journal of Hypertension Volume 33, eSupplement 1, 2015, e181 (Ref#167)

AMPLIFICATION BLOOD PRESSURE CHARACTERIZATION IN YOUNG HEALTHY MALES. M. Koretzky, S. Obregon, E. Huguet, M. Haehnel, L. Brandani, M. Cadenas, F. Vaisbuj, E. Perasso Dulude, C. Kotliar. Journal of Hypertension Volume 33, eSupplement 1, 2015, e183 (Ref#166)

CALIBRATION MODE AFFECTS THE SIGNIFICANCE OF PULSE WAVE VELOCITY MEASURED BY A BRACHIAL CUFFBASED MONITORING DEVICE FOR PREDICTION OF SIGNIFICANT CORONARY ARTERY DISEASE. T. Shoji, S. Okada, A. Nakagomi, Y. Kobayashi. Journal of Hypertension Volume 33, eSupplement 1, 2015, e186 (Ref#165)

RISK OF EARLY VASCULAR AGEING IN NORMOTENSIVE SUBJECTS. C. Castellaro, S. Gonzalez, P. Kempny, P. Forcada, J. Chiabaut Svane, S. Obregon, C. Kotliar. Journal of Hypertension Volume 33, eSupplement 1, 2015, e221 (Ref#164)

Diabetic hypertensive patients have a blood pressure to wake up and arterial stiffness significantly higher than those not diabetic at similar ages. Ricardo M. Cabrera Sole, Caridad Turpin Lucas, Liliana Urrega Rivera, Santiago Garcia Ruiz, Manuel Aguilera Saldana. Journal of the American Society of Hypertension 9(4S) (2015) e91 (Ref#162)

Nebivolol and valsartan alone and in combination: effects on 24-hour ambulatory cardiac work and blood pressure-heart rate variability. Safi U. Khan, Osman Saleem, Peter J. Osmond, Joseph L. Izzo. Journal of the American Society of Hypertension 9(4S) (2015) e54 - e55 (Ref#161)

Hypertensive women have less central blood pressures and arterial stiffness compared to hypertensive men with similar peripheral blood pressures and age. Ricardo M. Cabrera-Sole, Caridad Turpin Lucas, Liliana Urrega Rivera, Santiago Garcia Ruiz, Erik Luepke Estephan, Manurl Aguilera Saldana. Journal of the American Society of Hypertension 9(4S) (2015) e38 (Ref#160)

24 Hours central blood pressure and pulse wave velocity in normotensive and untreated hypertensive young adults. Andrea A. Brandao, Rafael A. Faria, Roberto Pozzan, Annelise G. Paiva, Maria Eliane C. Magalhaes, Erika Maria G. Campana, Flavia L. Fonseca, Marco Antonio Mota Gomes. Journal of the American Society of Hypertension 9(4S) (2015) e38 (Ref#159)

Dependence of ambulatory oscillometric brachial pulse wave velocity (Mobil-O-Graph) on systolic blood pressure. Sameh Basta, Tanveer Hussain, Peter J. Osmond, Joseph L. Izzo. Journal of the American Society of Hypertension 8(4S) (2014) e36 – e37 (Ref#158)

24h central blood pressure and pulse wave velocity in normotensive, hypertensive, white coat hypertension and masked hypertension young adults. Rafael A. Faria, Annelise G. Paiva, Roberto Pozzan, Maria Eliane C. Magalhaes, Erika Maria G. Campana, Flavia L. Fonseca, Marco Antonio M. Gomes, Andrea A. Brandao. Journal of the American Society of Hypertension 9(4S) (2015) e30 (Ref#157)

Differential hemodynamic effects of nebivolol and valsartan from 24-hour ambulatory pulse wave analysis. Safi U. Khan, Osman Saleem, Peter J. Osmond, Joseph L. Izzo. Journal of the American Society of Hypertension 9(4S) (2015) e21 (Ref#156)

Estimation of the Risk of Somatization in Hypertensive Patients. María Cadenas, Sebastián Obregón, Martín Koretzky, Laura Brandani, Mariana Haehnel, Mariana Maristany, Fabián Vaisbuj, Ezequiel Hugué, Débora Chan, Carol Kotliar. Rev Argent Cardiol 2015;83:130-135 (Ref#155)

Leukocyte Subtype Counts and Its Association with Vascular Structure and Function in Adults with Intermediate Cardiovascular Risk. MARK Study. Leticia Gomez-Sanchez, Luis García-Ortiz, José I. Recio-Rodríguez, María C. Patino-Alonso, Cristina Agudo-Conde, Fernando Rigo, Rafael Ramos, Ruth Martí, Manuel A. Gomez-Marcos. PLoS ONE 10(4): e0119963.doi:10.1371/journal.pone.0119963 (Ref#154)

Ambulatory aortic blood pressure, wave reflections and pulse wave velocity are elevated during the third in comparison to the second interdialytic day of the long interval in chronic haemodialysis patients. Georgios Koutroumbas, Panagiotis I. Georgianos, Pantelis A. Sarafidis, Athanase Protogerou, Antonios Karpetas, Pantelis Vakianis, Vassilios Raptis, Vassilios Liakopoulos, Stylianos Panagoutsos, Christos Syrganis and Ploumis Passadakis. Nephrol. Dial. Transplant. (2015) doi: 10.1093/ndt/gfv090 (Ref#153)

Noninvasively Measured Pulsatile Component of Central Blood Pressure Predicts the Presence and Severity of Coronary Artery Disease. Atsushi Nakagomi, Sho Okada, Toshihiro Shoji, Yoshio Kobayashi. Circulation Journal 2015, 79(Suppl. I):I-1831 (Ref#152)

A prospective observational study comparing a non-operator dependent automatic PWV analyser to pulse pressure, in assessing arterial stiffness in hemodialysis. Igor Salvadé, Sibylle Schätti-Stählin, Eleonora Violetti, Carlo Schönholzer, Claudio Cereghetti, Hugo Zwahlen, Lorenzo Berwert, Michel Burnier and Luca Gabutti. BMC Nephrology (2015) 16:62 (Ref#151)

Increased nocturnal heart rate and wave reflection are early markers of cardiovascular disease in Williams-Beuren syndrome children. Alessandro Maloberti, Francesca Cesana, Bernhard Hametner, Dario Dozio, Paolo Villa, Martin Hulpke-Wette, Achim Schwarz, Angelo Selicorni, Siegfried Wassertheurer, Giuseppe Mancina, and Cristina Giannattasio. Journal of Hypertension 2015, 33:804–809 (Ref#149)

Noninvasive Blood Pressure Amplification Does Not Predict Significant Coronary Artery Disease Due to Its Inaccuracy in Measurement. Toshihiro Shoji, Sho Okada, Atsushi Nakagomi, Yoshio Kobayashi. JACC March 17, 2015 Volume 65, Issue 10S (Ref#148)

Effect of acute high-intensity resistance exercise on optic nerve sheath diameter and ophthalmic artery blood flow pulsatility. W K Lefferts, W E Hughes and K S Heffernan. Journal of Human Hypertension, (5 March 2015) | doi:10.1038/jhh.2015.12 (Ref #147)

Decrease of Urotensin II activity can impact on the volume status in predialysis chronic kidney disease. Yilmaz B, Yilmaz A, Sari F, Sarikaya AM, Ellidag HY, Kucukseymen S, Ozpelt E, Ren Fail. 2015 Jan 22:1-6 (Ref #146)

Study for Promotion of Health in Recycling Lead - Rationale and design. Hara A, Gu YM, Petit T, Liu YP, Jacobs L, Zhang ZY, Yang WY, Jin Y, Thijs L, Wei FF, Nawrot TS, Staessen JA, Blood Press. 2015 Jan 26:1-11 (Ref #145)

Ambulatory Recording of Wave Reflections and Arterial Stiffness during Intra- and Interdialytic Periods in Patients Treated with Dialysis. Antonios Karpetas, Pantelis A. Sarafidis, Panagiotis I. Georgianos, Athanase Protogerou, Pantelis Vakianis, Georgios Koutroumpas, Vasileios Raptis, Dimitrios N. Stamatidis, Christos Syrganis, Vasillios Liakopoulos, Georgios Efstratiadis, Anastasios N. Lasaridis, Clin J Am Soc Nephrol. 2015 Jan 29. pii: CJN.08180814 (Ref #144)

Comparison of an oscillometric method with cardiac magnetic resonance for the analysis of aortic pulse wave velocity. Hans-Josef Feistritzer, Sebastian J. Reinstadler, Gert Klug, Christian Kremser, Benjamin Seidner, Regina Esterhammer, Michael F. Schocke, Wolfgang, Michael Franz, Bernhard Metzler, PLoS One. 2015 Jan 22;10(1):e0116862. doi: 10.1371/journal.pone.0116862. eCollection 2015 (Ref #143)

Acute effects of interval versus continuous endurance training on pulse wave reflection in healthy young men. Henner Hanssen, Monique Nussbaumer, Christoph Moor, Mareike Cordes, Christian Schindler, Arno Schmidt-Trucksäss, Atherosclerosis, February 2015 Volume 238, Issue 2, Pages 399–406 (Ref #142)

Urinary Sodium Excretion and Ambulatory Blood Pressure Findings in Patients With Hypertension. Afsar B1, Elsurer R, Kirkpantur A, Kanbay M. J Clin Hypertens (Greenwich). 2015 Jan 5. doi: 10.1111/jch.12464. (Ref #141)

Noninvasive measurement of central aortic pressure- a marker for assessment of cardiovascular risk. N. Georgieva, D. Somleva, N. Zlatareva and A. Goudev. Clinic of Cardiology, UMHAT "Queen Yoanna" – ISUL, Medical University – Sofia (Ref #140)

Percentiles for central blood pressure and pulse wave velocity in children and adolescents recorded with an oscillometric device. Julia Elmenhorst , MD, MSc, Martin Hulpke-Wette , MD, Christiane Barta , Robert Dalla Pozza , MD, Stephan Springer , MD, Renate Oberhoffer , MD. Atherosclerosis Volume 238, Issue 1, Pages 9–16, January 2015 (Ref #134)

2014

Plasma Parathyroid Hormone is Independently Related to 24-Hour Pulse Wave Velocity in Patients With Primary Hyperparathyroidism - Insights from The EPATH Study. Julia Wetzel, Nicolas Verheyen, Evgeny Belyavskiy, Albrecht Schmidt, Caterina Colantonio, Elisabeth Kraigher-Krainer, Martin Gaksch, Martin Gröbler, Johannes Schmid, Astrid Fahrleitner-Pammer, Burkhard Pieske, Stefan Pilz, Andreas Tomaschitz. Circulation. 2014; 130: A15844 (Ref #139)

Calibration With Mean Blood Pressure is Essential for Utilization of Brachial Pulse Wave Analysis-Based Ambulatory Central Blood Pressure Monitor for Cardiovascular Patients. Toshihiro Shoji, Sho Okada, Atsushi Nakagomi, Yoshio Kobayashi. Circulation. 2014; 130: A20656 (Ref #138)

Einfluss eines akuten Ausdauertrainings auf den peripheren und zentral-aortalen Blutdruck in Ruhe sowie während eines Stresstests. Florian Milatz, Sascha Ketelhut, Reinhard G. Ketelhut. PERFUSION 2014; 27: 56–60 (Ref #137)

Aortic stiffness increases in proportion to the severity of apnea-hypopnea index in patients with obstructive sleep apnea syndrome. Cörtük M, Akyol S, Baykan AO, Kiraz K, Uçar H, Caylı M, Kandış H. Clin Respir J. 2014 Nov 17. doi: 10.1111/crj.12244. [Epub ahead of print] (Ref #136)

Association of left ventricular diastolic dysfunction with 24-h aortic ambulatory blood pressure: the SAFAR study. Y Zhang, G Kollias, A A Argyris, T G Papaioannou, C Tountas, G D Konstantonis, A Achimastos, J Blacher, M E Safar, P P Sfikakis and A D Protogerou. Journal of Human Hypertension , (13 November 2014) (Ref #135)

Central blood pressure assessment using 24-hour brachial pulse wave analysis. Maria Lorenza Muesan, Massimo Salvetti, Fabio Bertacchini, Claudia Agabiti-Rosei, Giulia Maruelli, Efrem Colonetti, Anna Paini. Journal of Vascular Diagnostics, 24 October 2014 (Ref #133)

Aortic is superior to brachial ambulatory blood pressure monitoring for the detection of early damage at the heart and the carotid artery but not at the retinal microcirculation: The noninvasive Aortic ambulatory blood pressure monitoring For the detection of tARget organ damage (SAFAR) study. Athanase Protogerou, Evaggelia Aissopou, Antonis Argyris, Christos Tountas, Giorgos Konstantonis, Efthimia Nasothimiou, Theodoros Papaioannou, Apostolos Achimastos, Jacques Blacher, Michel Safar, Petros Sfikakis. Artery Research December 2014 Volume 8, Issue 4, Page 129 (Ref #132)

Carotid-femoral and brachial pulse wave velocity in peripheral arterial disease. Martina Frick, Vincenzo Jacomella, Stephanie Roth, Ian B. Wilkinson, Beatrice Amann-Vesti, Marc Husmann. Artery Research December 2014 Volume 8, Issue 4, Page 145 (Ref #131)

24 hour central ambulatory blood pressure: usual values and relationship with markers of cardiovascular risk. Carmel McEniery, Jane Smith, Gabriele Pestelli, Jean Woodcock-Smith, Karen Miles, John Cockcroft, Ian Wilkinson. Artery Research December 2014 Volume 8, Issue 4, Page 123 (Ref #130)

The differential effects of resistance training and endurance training on augmentation index: a pilot study. Isabel Softley, Emily Kier, Samuel Cooke, Matt Bowes, Laura Watkeys, Nichola Gale, John Cockcroft, Barry McDonnell. Artery Research December 2014 Volume 8, Issue 4, Page 146 (Ref #129)

Feasibility of 24-hour central blood pressure measurements - the isar hemodialysis study. Marcus Baumann, Martin Bauhofer, Siegfried Wassertheurer, Susanne Tholen, Christine Hauser, Yana Suttman, Anna-Lena Hasenau, Uwe Heemann, Christoph Schmaderer. Artery Research December 2014 Volume 8, Issue 4, Page 151 (Ref #128)

A study on ambulatory measurement of central hemodynamics on healthy individuals with no cardiovascular risk factors. Antonios Lazaridis, Eirini Papadopoulou, Anna Varouktsi, Konstantinos Imprialos, Michalis Doumas, Evgenia Gkaliagkousi, Vasileios Athiros, Asterios Karagiannis. *Artery Research* December 2014 Volume 8, Issue 4, Page 157 (Ref #127)

Lack of recovery in nocturnal decline of heart rate and blood pressure after heart transplantation. Paolo Meani, Marisa Varrenti, Luca Giupponi, Luca Bonacchini, Valeria Riva, Alessandro Maloberti, Fabio Turazza, Maria Frigerio, Gianfranco Parati, Siegfried Wassertheurer, Cristina Giannattasio. *Artery Research* December 2014 Volume 8, Issue 4, Page 144 (Ref #125)

Gamma Glutamyl Transferase Activity is Associated With Both Paraoxonase Activity and Aortic Stiffness in Hypertensive Patients. Gözükar MY, Börekçi A, Gür M, Aksoy N, Seker T, Kaypaklı O, Uçar H, Türkoğlu C, Koç M, Makca I, Akyol S, Selek S, Caylı M. *J Clin Lab Anal.* 2014 Aug 17. doi: 10.1002 (Ref #124)

Arterial stiffness in patients with non-alcoholic fatty liver disease is related to fibrosis stage and epicardial adipose tissue thickness. Murat Sunbul, Mehmet Agirbasli, Erdal Durmus, Tarik Kivrak, Hakan Akin, Yucel Aydin, Rabia Ergelen, Yusuf Yilmaz. *Atherosclerosis*, Volume 237, Issue 2, December 2014, Pages 490-493 (Ref #123)

Evaluation of a novel brachial cuff-based oscillometric method for estimating central systolic pressure in hemodialysis patients. Sarafidis P.A., Georgianos P.I., Karpeta A., Bikos A., Korelidou L., Tersi M., Divanis D., Tzanis G., Mavromatidis K., Liakopoulos V., Zebekakis P.E., Lasaridis A., Protogerou A.D. *Am J Nephrol* 2014;40:242-250 (Ref #122)

Morning blood pressure surge is associated with serum gamma-glutamyltransferase activity in essential hypertensive patients. R Elsurur and B Afsar. *Journal of Human Hypertension* , (28 August 2014) | doi:10.1038/jhh.2014.74 (Ref #121)

Central hemodynamics and arterial stiffness improve after renal denervation in 24h ambulatory measurements - a mid-term follow-up of the luebeck rdn registry. K.F. Franzen, A. Reinhardt, T. Graf, H. Thiele, M. Reppel, K. Mortensen. *European Heart Journal* (2014) 35 (Abstract Supplement), 1190-1191 (Ref #120)

Left-ventricular hypertrophy is associated better with 24-h aortic pressure than 24-h brachial pressure in hypertensive patients: the SAFAR study. Athanase D. Protogerou, Antonis A. Argyris, Theodoros G. Papaioannou, Georgios E. Kollias, Giorgos D. Konstantonis, Efthimia Nasothimiou, Apostolos Achimastos, Jacques Blacher, Michel E. Safar, Petros P. Sfikakis. *J Hypertens.* 2014 Sep;32(9):1805-14. doi: 10.1097/HJH.0000000000000263. (Ref #119)

Increased pulse wave velocity and relationship with inflammation, insulin, and insulin resistance in inflammatory bowel disease. Korkmaz H, Sahin F, Ipekci SH, Temel T, Kebapcilar L.. *Eur J Gastroenterol Hepatol.* 2014 Jul;26(7):725-32. doi: 10.1097/MEG.000000000000104. (Ref #117)

24-hour ambulatory central blood pressure and preclinical target organ damage in adolescents and young adults. A. Ntineri, A. Kollias, A. Charokopakis, D. Georgakopoulos, I. Moyssakis, A. Vazeou, G.S. Stergiou. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e131 (Ref #112)

Impact and function of a Mineralocorticoid receptor non-coding variant on arterial stiffness. M. Lenders, B. Schmitz, B. Kasprzak, S. Brand, E. Brand. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e60 (Ref #111)

24-hr ambulatory central blood pressure circadian patterns on a population cohort. M. Sottolano, I. Lujambio, L. Luzardo, S. Robaina, N. Krul, A. Da Rosa, F. Carusso, C. Rios, A. Olascoaga, O. Noboa, J. Boggia. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e456 (Ref #110)

The Genotype, Phenotype and environment of hypertension in Uruguay study (GEFA). I. Lujambio, M. Sottolano, S. Robaina, L. Luzardo, N. Krul, A. Da Rosa, F. Carusso, A.C. Rios, A. Olascoaga, O. Noboa, J. Boggia. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e455 (Ref #109)

Aortic to brachial pulse pressure amplification as functional marker and predictor of renal function loss in chronic kidney disease. M. Baumann, S. Wassertheurer, U. Heemann. *Journal J Clin Hypertens* (Greenwich). 2014 Jun;16(6):401-5. doi: 10.1111/jch.12316 (Ref #108)

Excess pressure is independently related to measures of lv mass and concentric geometry in essential hypertension. G. Pucci, B. Hametner, F. Battista, F. Anastasio, S. Wassertheurer, G. Schillaci. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e223 (Ref #107)

Wave reflection does not differ between patients with normal and with severely impaired systolic function. T. Weber, S. Parragh, B. Hametner, M. Bachler, B. Eber, S. Wassertheurer. *Journal of Hypertension*, Vol. 32, e-supplement A, June 2014, e221 (Ref #106)

Comparison of pulse wave velocity, augmentation index and aortic systolic blood pressure measured in static conditions by the Mobil-o-Graph and the Sphygmocor devices in end-stage.

P. Sarafidis, A. Karpetas, P. Georgianos, A. Bikos, R. Sklavenitis-Pistofidis, R. Tzimou, V. Raptis, V. Liakopoulos, P. Zebekakis, A. Lasaridis, A. Protogerou. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e609 (Ref #105)

Associations between the retinal microcirculation and 24-hour ambulatory pulse wave velocity: a pilot study in hypertensive and normotensive individuals.

E. Aissopou, A. Argyris, M. Papathanassiou, E. Nasothimiou, G. Konstantonis, K. Tampakis, N. Tentolouris, P. Theodosiadis, T. Papaioannou, P. Sfrikakis, A. Protogerou. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e70 (Ref #104)

Evaluation of central aortic pressure in intra- and interdialytic periods in end-stage renal disease patients on hemodialysis.

A. Karpetas, P. Sarafidis, P. Georgianos, G. Koutroumpas, A. Bikos, V. Sgouropoulou, D. Divanis, V. Raptis, R. Sklavenitis-Pistofidis, R. Tzimou, A. Protogerou, V. Liakopoulos, P. Zebekakis, A. Lasaridis. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e268 (Ref #103)

Comparison of ambulatory central and peripheral blood pressure between the second and third day of the long interdialytic interval in hemodialysis patients.

G. Koutroumpas, P. Sarafidis, P. Georgianos, A. Karpetas, A. Protogerou, P. Malindretos, C. Syrganis, S. Panagoutsos, P. Pasadakis. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e225 (Ref #102)

Assessment of central blood pressure in asian population: a comparison between brachial oscillometry and radial tonometry methods.

S. Hoshide, M. Nakayama, T. Komori, Y. Ogata, K. Eguchi, K. Kario. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e342 (Ref #101)

Diurnal variation of central blood pressure in adolescents and young adults: a pilot study.

A. Ntineri, A. Kollias, A. Vazeou, A. Achimastos, G. Stergiou. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e62 (Ref #100)

Ambulatory recording of wave reflection and arterial stiffness parameters during the long interdialytic interval in patients receiving conventional hemodialysis.

G. Koutroumpas, P. Sarafidis, P. Georgianos, A. Karpetas, A. Protogerou, P. Malindretos, C. Syrganis, S. Panagoutsos, P. Pasadakis. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e121 (Ref #99)

Ambulatory recording of wave reflections and arterial stiffness during intra- and interdialytic periods in end-stage renal disease patients under hemodialysis.

P. Georgianos, P. Sarafidis, A. Karpetas, G. Koutroumpas, V. Sgouropoulou, G. Tzani, K. Raptopoulou, A. Protogerou, V. Liakopoulos, P. Zebekakis, A. Lasaridis. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e83 (Ref #98)

Preliminary results of noninvasive ambulatory 24 hours peripheral, central blood pressure and arterial stiffness in medical students from first to fourth year cohort 2013.

J. Lopez-Rivera, S. Scrocchi, S. Lopez, F. Suarez, M. Bonilla, W. Zerpa. Journal of Hypertension, Vol. 32, e-supplement A, June 2014, e159 (Ref #97)

Arterial Function and Cardiorenal Damage.

Luis M. Ruilope, MD, PhD. The Journal of Clinical Hypertension June 2014, Volume 16, Issue 6, Pages 389–468 (Ref #95)

Assessment of subjective and hemodynamic tolerance of different high- and low-flux dialysis membranes in patients undergoing chronic intermittent hemodialysis: A randomized controlled trial.

Bianchi G1, Salvadé V, Lucchini B, Schätti-Stählin S, Salvadé I, Burnier M, Gabutti L. Hemodial Int. 2014 May 28. doi: 10.1111/hdi.12180 (Ref #118)

A simple method for the assessment of arterial stiffness in pre-eclamptic patients.

Mustafa Oylumlu, Muhammed Oylumlu, Murat Yuksel, Abdulkadir Yildiz, Mehmet Zihni Bilik, Mehmet Ata Akil, Ali Ozler, Halit Acet, Faruk Ertas, Sait Alan. Clin Exp Hypertens. 2014 Apr 30. (Ref #96)

Vascular stiffness as a surrogate measure of mortality in patients with chronic kidney disease.

Weir, Matthew R.; Townsend, Raymond R. Journal of Hypertension: April 2014 - Volume 32 - Issue 4 - p 744-745 (Ref #93)

Aortic pulse wave velocity predicts mortality in chronic kidney disease stages 2–4.

Baumann, Marcus; Wassertheurer, Siegfried; Suttman, Yanaa; Burkhardt, Klaus; Heemann, Uwe. Journal of Hypertension April 2014 - Volume 32 - Issue 4 - p 899-903 (Ref #90)

The Relationship between Central Hemodynamics, Morning Blood pressure Surge, Glycemic Control and Sodium Intake in Patients with Type 2 Diabetes and Essential Hypertension.

Baris Afsar, Rengin Elsurur. Diabetes Res Clin Pract. 2014 Jun;104(3):420-6. doi: 10.1016/j.diabres.2014.03.011. Epub 2014 Mar 27. (Ref #89)

Das kardio-vaskuläre Risiko übergewichtiger und adipöser Kinder und Jugendlicher – Quantifizierung mittels Pulswellenanalyse und aerober Fitness. Elmenhorst, J., Springer, S., Giegerich, T., Alber, V., Barta, C., Oberhoffer, R. Deutsche Rentenversicherung Bund DRV-Schriften Band 103 März 2014. (Ref #92)

Assessment of arterial stiffness and cardiovascular hemodynamics by oscillometric method in psoriasis patients with normal cardiac functions. Murat Sunbul, Dilek Seckin, Erdal Durmus, Zuleyha Ozgen, Mehmet Bozbay, Ayfer Bozbay, Tarik Kivrak, Mustafa Oguz, Ibrahim Sari, Tulin Ergun, Mehmet Agirbasli. Heart Vessels. 2014 Mar 15. [Epub ahead of print] (Ref #91)

Rationale and study design of the prospective comparison of angiotensin receptor neprilysin inhibitor with angiotensin receptor blocker measuring arterial stiffness in the elderly (parameter) study. Bryan Williams; John R Cockcroft; Kazuomi Kario; Dion H Zappe; Pamela Cardenas; Allen Hester; Patrick Brunel; Jack Zhang. BMJ Open 2014 Vol: 4(2):e004254. DOI: 10.1136/bmjopen-2013-004254 (Ref #88)

The Myocardial Oxygen Supply: Demand Index Revisited. Julien I. E. Hoffman, Gerald D. Buckberg. J Am Heart Assoc. 2014;3:e000285; originally published January 21, 2014;doi: 10.1161/JAHA.113.000285 (Ref #87)

Central blood pressure: current evidence and clinical importance. Carmel M. McEniery, John R. Cockcroft, Mary J. Roman, Stanley S. Franklin, Ian B. Wilkinson. Eur Heart J (2014) doi: 10.1093/eurheartj/ehf565 (Ref #86)

Treatment of antipsychotic-associated obesity with a GLP-1 receptor agonist—protocol for an investigatorinitiated prospective, randomised, placebo-controlled, double-blinded intervention study: the TAO study protocol. Pelle L Ishøy, Filip K Knop, Brian V Broberg, Lone Baandrup, Birgitte Fagerlund, Niklas R Jørgensen, Ulrik B Andersen, Egill Rostrup, Birte Y Glenthøj, Bjørn H Ebdrup. BMJ Open 2014;4:e004158 doi:10.1136/bmjopen-2013-004158 (Ref #85)

Mean platelet volume and arterial stiffness in patients with acromegaly. Ünübol M, Güney E, Türe M, Eryılmaz U. Anadolu Kardiyol Derg. 2014 Jan 28. doi: 10.5152/akd.2014.4898. (Ref #116)

Estimated glomerular filtration rate is associated with both arterial stiffness and N-terminal pro-brain natriuretic peptide in newly diagnosed hypertensive patients. Gür M, Uçar H, Kuloğlu O, Kivrak A, Seker T, Türkoğlu C, Ozaltun B, Kaypaklı O, Sahin DY, Elbasan Z, Tanboğa H, Çaylı M. Clin Exp Hypertens. 2014;36(6):374-9. doi: 10.3109/10641963.2013.827703. Epub 2014 Jan 16. (Ref #115)

The Relationship Between Magnesium and Ambulatory Blood Pressure, Augmentation Index, Pulse Wave Velocity, Total Peripheral Resistance and Cardiac Output in Essential Hypertensive Patients. Baris Afsar, Rengin Elsurur. American J Am Soc Hypertens. 2014 Jan;8(1):28-35. doi: 10.1016/j.jash.2013.10.006. (Ref #81)

2013

Serum 25-hydroxyvitamin D is associated with both arterial and ventricular stiffness in healthy subjects. Şeker T, Gür M, Kuloğlu O, Kalkan GY, Şahin DY, Türkoğlu C, Elbasan Z, Baykan AO, Gözübüyük G, Çaylı M. J Cardiol. 2013 Dec;62(6):361-5. doi: 10.1016/j.jcc.2013.06.004. Epub 2013 Jul 16. (Ref #114)

Presión arterial braquial, central y velocidad de onda de pulso evaluados con monitoreo ambulatorio de 24 hs en pacientes hipertensos randomizados a tratamiento con atenolol vs. nebivolol. Ricardo J. Esper, Roberto A. Nordaby, Jorge Curotto Grasioli, Diego J. L. Cordero, Jorge O. Vilariño, Pren. Méd. Argent. November 2013 Vol. 99 - Nº 9 594-602 (Ref #84)

Effect of a Reduction in glomerular filtration rate after nephrectomy on arterial stiffness and central hemodynamics: rationale and design of the EARNEST study. William E. Moody, Laurie A. Tomlinson, Charles J. Ferro, Richard P. Steeds, Patrick B. Mark, Daniel Zehnder, Charles R. Tomson, John R. Cockcroft, Ian B. Wilkinson, Jonathan N. Townend. American Heart Journal online 6 November 2013 (Ref #74)

Assessment of Arterial Stiffness in Female and Male Gout Patients. Sema Yılmaz, Gülperi Celik, Ali Gündoğdu. Clin Exp Hypertens. October 2013;35(6):430-6. doi: 10.3109 (Ref #71)

Comportamento da pressão central com medidas de MAPA de 24h na vigília e no Sono numa População de Hipertensos do Avelal Branco. Marco Antonio Mota Gomes, Annelise Costa Machado Gomes, Juliana Vasconcelos Lyra, Glauber Schettino, Maria Ines Costa Machado Gomes, José Fernando Vilela Martin E Andrea Araujo Brandao. Congresso Brasileiro de Cardiologia, Oct 2013 (Ref #73)

Antiangiogenic factors and maternal hemodynamics during intensive hemodialysis in pregnancy

Tom Cornelis, Marc Spaanderman, Charles Beerenhout, Frank H. Perschelen P. Kooman, Michelle Hlandunewich Hemodial Int. 2013 Oct;17(4):639-643. doi: 10.1111 (Ref #69)

Assessment of arterial stiffness in patients with inactive and active Behçet's disease. Yilmaz S, Celik G, Esmen S. Scand J Rheumatol. 2013 Sep 9. (Ref #72)

Dietary inorganic nitrate lowers central blood pressure. S Kukadia, T Tillin, E Coady, N Chaturvedi, AD Hughes. Artery Research Volume 7, Issue 3 , Page 142, September 2013 (Ref #80)

24 hours pulsatile hemodynamics in borderline versus resistant hypertensives. T Weber, B Hametner, B Eber, S Wassertheurer. Artery Research Volume 7, Issue 3 , Pages 150-151, September 2013 (Ref #79)

Correction of vitamin D deficiency by calcifediol in hypertensives with stage 3 chronic kidney disease reduces pulse wave velocity by lowering blood pressure. E Rodilla Sala, JAC Muñoz, P Porcar, JMP Izuel, TM Marín. Artery Research Volume 7, Issue 3 , Page 142, September 2013 (Ref #78)

Arterial stiffness correlates with vitamin D deficiency in hypertensive patients with stage 3 chronic kidney disease independently of blood pressure. E Rodilla Sala, JAC Muñoz, M Taverner, JMP Izuel, TM Marín. Artery Research Volume 7, Issue 3 , Page 137, September 2013 (Ref #77)

Marker of arterial stiffness in chronic kidney disease - a prospective cohort study. M Baumann, Y Suttman, U Heemann, S Wassertheurer. Artery Research Volume 7, Issue 3 , Page 111, September 2013 (Ref #76)

Frequency response of blood pressure cuffs based on step response and forced sinusoidal harmonic excitation. R Lurf, R Semerad, M Meindl, C Mayer, B Hametner, T Weber, S Wassertheurer. Artery Research Volume 7, Issue 3 , Page 168, September 2013 (Ref #75)

High blood pressure: can we do better in the future? Zhang Y, Safar ME. Future Cardiol. 2013 Sep;9(5):603-5. doi: 10.2217 (Ref #70)

Assessment of volume status and arterial stiffness in chronic kidney disease. Akdam H, Oğünç H, Alp A, Ozbek O, Omürlü IK, Yeniçerioğlu Y, Akar H. Ren Fail. 2013 Sep 13. (Ref #68)

Increased Aortic Stiffness Predicts Contrast-Induced Nephropathy in Patients With Stable Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. Hakan Uçar, Mustafa Gür, Arafat Yıldırım, Abdürrezzak Börekçi, Mehmet Yavuz Gözükar, Taner Seker, Onur Kaypakli, Caner Türkoglu, Betül Özaltun, Selehattin Akyol, Hazar Harbalioglu, Durmus Yildiray Sahin, Zafer Elbasan and Murat Çaylı. published online 26 September 2013 DOI: 10.1177/0003319713504126 (Ref #67)

Non-invasive 24 hour ambulatory monitoring of aortic wave reflection and arterial stiffness by a novel oscillometric device: The first feasibility and reproducibility study. Theodore G. Papaioannou, Antonios Argyris, Athanase D. Protogerou, Dimitrios Vrachatis, Efthymia G. Nasothimiou, Petros P. Sfikakis, George S. Stergiou, Christodoulos I. Stefanadis. Int J Cardiol. 2013 Sep 8. pii: S0167-5273(13)01662-8. doi: 10.1016 (Ref #66)

Serum 25-hydroxyvitamin D level is associated with arterial stiffness, left ventricle hypertrophy, and inflammation in newly diagnosed hypertension. Kuloğlu O, Gür M, Şeker T, Kalkan GY, Şahin DY, Tanboğa IH, Koyunsever NY, Harbaloğlu H, Türkoğlu C, Akyol S, Elbasan Z, Acele A, Caylı M. J Investig Med. 2013 Aug;61(6):989-94. doi: 10.231/JIM.0b013e31829a82bc. (Ref #113)

Evaluation of arterial stiffness and hemodynamics by oscillometric method in patients with systemic sclerosis. Murat Sunbul MD, Assoc. Prof. Kursat Tigen MD, Gulsen Ozen MD, Erdal Durmus MD, Tarik Kivrak MD, Altug Cincin MD, Alper Kepez MD, Halil Atas MD, Prof. Haner Direskeneli MD, Prof. Yelda Basaran MD. Wien Klin Wochenschr. 2013 Aug;125(15-16):461-6 (Ref #61)

Arterial Stiffness as an Imaging Biomarker: Are All Pathways Equal? Stéphane Laurent, Elie Mousseaux and Pierre Boutouyrie. Hypertension. 2013 Jul;62(1):10-2. doi: 10.1161 (Ref #64)

Central haemodynamics and arterial stiffness during the finals of the world cup soccer championship 2010 Michael Reppel ,Klaas Franzen, Frank Bode, Joachim Weil, Volkhard Kurowski, Susanne Annika Schneider, Johannes Baulmann, Tobias von Lukowicz, Wladimir Mirau, Eva Mortensen, Siegfried Wassertheurer, Heribert Schunkert, Kai Mortensen. Int J Cardiol. 2013 Jul 1;166(3):627-32. doi: 10.1016. (Ref #63)

Acute sleep deprivation is associated with increased arterial stiffness in healthy young adults. Murat Sunbul, Batur Gonenc Kanar, Erdal Durmus, Tarik Kivrak, Ibrahim Sari. Sleep and Breathing July 2013 (Ref #62)

What time is the right time, and how to measure? S Wassertheurer and B Hametner. J Hum Hypertens. 2013 Jul 11. doi: 10.1038/jhh.2013.65. (Ref #60)

Central blood pressure in the management of hypertension: soon reaching the goal? JE Sharman and S Laurent. *J Hum Hypertens*. 2013 Jul;27(7):405-11. doi: 10.1038. (Ref #59)

Cohorte GEFA-HT-UY (Genotipo, Fenotipo y Ambiente de la HiperTensión Arterial en Uruguay). Leonella Luzardo, Inés Lujambio, Mariana Sottolano, Alicia Da Rosa, Sebastián Robaina, Federico Arce, María Márquez, Valentina Agorrody, Carlos Américo, Mariela Garau, Nadia Krul, Ana Carina Ríos, Lucía Florio, Alicia Olascoaga, Óscar Noboa, Jan Albert Staessen, José Boggia. *Rev Méd Urug* 2013; 29(2):103-113, June 2013 (Ref #58)

Association of genetic factors with endothelial cell stiffness after amiloride challenge. Lenders, Malte; Schmitz, Boris; Drüppel, Verena; Kasprzak, Bernd; Kusche-Vihrog, Kristina; Oberleithner, Hans; Brand, Stefan-Martin and Brand, Eva. *ESH Abstract*, June, 2013 (Ref #57)

Early Treatment with Azilsartan Compared to ACE-Inhibitors in Anti-Hypertensive Therapy – Rationale and design of the Early Hypertension Registry. S. Potthoff, A.K. Gitt, P. Baumgart, P. Bramlage, F. Mahfoud, J. Senges, S. Schneider, H. Buhck, R.E. Schmieder. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e137 (Ref #56)

Different Methods to Assess pulse wave Velocity-Relationship with End-Organ Damage. T. Weber, S. Wassertheurer, B. Hametner, B. Eber. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e519 (Ref #53)

Evolution of Ambulatory and Central Blood Pressure after Sympathetic Renal Denervation in Patients with Resistant Arterial Hypertension. C. Cerezo, A.Fontenla, F. Hernandez, F. Arribas, M.Praga, L. Ruilope, J. Segura. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e106 (Ref #52)

Comparison of 4 Methods to assess Pulse Wave Velocity: Invasive, Carotid Femoral, Travel Distance Estimation from Height, and Estimation from Waveforms. T. Weber, S. Wassertheurer, B. Hametner, M. Rammer, B. Eber. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e81(Ref #51)

Estimation of Aortic Pulse Wave Velocity in a Healthy Middle-Aged Cohort from Carotid Waveforms-Comparison with Carotid-Femoral Pulse Wave Velocity. S. Wassertheurer, T. Weber, B. Hametner, L. van Bortel, M. De Buyzere, E. Rietzschel, P. Segers. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e80 (Ref #50)

Association of Twenty Four Hour Aortic Ambulatory Blood Pressure Monitoring with Left Ventricular Hypertrophy. A. Argysis, G. Kollias, T. Papaioannou, E. Nasothimiou, J. Blacher, M. Safar, A. Achimastos, J. Papargyriou, P. Sfikakis, A. Protogerou. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e298 (Ref #49)

Peripheral Brachial Blood Pressure and ARCSolver Measurements Predicting Central Blood Pressure. A. Iannoni de Moraes, M. Sousa, A. Cordeiro Silva Junior, C. Conzaga, W. Stein, M. Silva, R. Costa, C. Amodeo. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e380 (Ref #48)

Ambulatory 24 Hour Central Blood Pressure Correlates Best with Left Ventricular Mass in Never Treated Hypertensive Patients. E Rodilla Sala, J. Costa Munoz, L. Perez Lluna, L.Serrano Lazaro, A. Vinuesa De Miguel, J. Pascual Izuel. *Journal of Hypertension*, Vol. 31, e-supplement A, June 2013, e297 (Ref #47)

The Prospective Comparison of Angiotensin Receptor Neprilysin Inhibitor with Angiotensin Receptor Blocker Measuring Arterial Stiffness in the Elderly (Parameter) Study Design. B. Williams, J.R. Cockcroft, K. Kario, D.H. Zappe, P. Cardenas, R.A. Hester, J. Zhang. *Journal of Hypertension*, Vol. 31, e-supplement A, June 2013, e184 (Ref #46)

24-Hour Brachial Pulse Wave Analysis for Stiffness and Central BP Assessment. T. Weber, Austria. *ESH Oral Presentation*, no Abstract, June 15, 2013 (Ref #45)

Oscillometric estimation of aortic pulse wave velocity: comparison with intra-aortic catheter measurements. Bernhard Hametner, Siegfried Wassertheurer, Johannes Kropf, Christopher Mayer, Bernd Eber and Thomas Weber. *Blood Press Monit*. 2013 Jun;18(3):173-6. doi: 10.1097. (Ref #44)

Simultaneous Assessment of Arterial Stiffness in Never Treated Hypertensives by Different Methods. E. Rodilla Sala, J. Costa Munoz, L. Perez, J. Pascual Izuel. *Journal of Hypertension Volume 31, e-Supplement A*, June 2013 ESH 2013 Abstract Book, e521 (Ref #54)

Stiff Heart and Stiff Arteries. Could We Soften Both? Vasiliou G. Athyros, Konstantinos Tziomalos, Michael A. Farganis, Paraschos Geleris. *The Open Hypertension Journal*, 2013, 5, (Suppl 1: M8) 94-101 (Ref #83)

The Emergence of Ambulatory Measurement of Arterial Stiffness and Central Blood Pressure. A Promising Novelty of Clinical Importance or Just Another Marker? A. Lazaridis, E. Gkaliagkousi, M. Doulas, A. Reklou, A. Karagiannis. *The Open Hypertension Journal*, 2013, 5, (Suppl 1: M6) 82-86 (Ref #82)

Arterial Stiffness in Patients with Decreased Renal Mass. Raziye Yazici, Lutfullah Altintepe, Suleyman Bakdik, Ibrahim Guney, Sevet Arslan, Mustafa Topal and Ali Karagoz. Nephrol. Dial. Transplant. (2013) 28 (suppl 1): i117-i139. doi: 10.1093 May 2013 (Ref #43)

24h Arterial Stiffness in a Healthy Cohort. J. Koster, K.H. Franzen, N. Hametner, S. Wassertheurer, G. Mike, J. Stritzke, M. Reppel, K. Mortensen. April 2013, Deutsche Gesellschaft für Kardiologie Kongress Mannheim.. (Ref #42)

Body Weight Telemetry Is Useful to Reduce Interdialytic Weight Gain in Patients with End-Stage Renal Failure on Hemodialysis Claas L. Neumann, Fabian Wagner, Jan Menne, Christiane Brockes, Sabine Schmidt-Weitmann, Eike M. Rieken, Volker Schettler, Gerrit C. Hagenah, Stephan Matzath, Lukas Zimmerli, Hermann Haller, and Egbert G. Schulz. Telemedicine and e-Health , April 24, 2013 (Ref #41)

Métodos de Determinación de la Rigidez Arterial en Pacientes Hipertensos Recién Diagnosticados sin Tratamiento Previo. Rodilla E, Costa JA, Perez L, Pascual JM. Spanish Society of Hypertension; March 2013. (Ref #40)

Niveles De Vitamina D y Rigidez Arterial en Pacientes Hipertensos con Insuficiencia Renal Crónica y sus Determinantes. Rodilla E, Segui JM, Costa JA, Perez L, Pascual JM. Spanish Society of Hypertension, March 2013. (Ref #39)

Percutaneous renal denervation (RDN) improves central hemodynamics and arterial stiffness - results of 24h ambulatory measurements. K.F. Franzen¹, K. Mortensen¹, T. Graf¹, J. Koester¹, J. Weil, M. Reppel. European Heart Journal (2013) 34 (Abstract Supplement), 105-106 (Ref #65)

Pulse wave velocity 24-hour monitoring with one-site measurements by oscillometry. Igor N Posokhov. Medical Devices: Evidence and Research, 18th February 2013 (Ref #38)

2012

Superior Peripheral and Central Blood Pressure Control after Switching Type 2 Diabetic Patients with Uncontrolled Hypertension from Ramipril/Hydrochlorothiazide to Perindopril/Indapamine. T. Mengden, W. Sehnert. European Society of Hypertension, Artery Research, Volume 6, Issue 4 , Page 196, December 2012. (Ref #37)

24-h ambulatory recording of aortic pulse wave velocity and central systolic augmentation: a feasibility study. Leonella Luzardo, Ines Lujambio, Mariana Sottolano, Alicia da Rosa, Lutgarde Thijs, Oscar Noboa, Jan A Staessen, José Boggia. Hypertens Res. 2012 Oct;35(10):980-7. (Ref #34)

Presión Arterial Central vs Presión Arterial Periferica Evaluado Durante Monitoreo Ambulatorio de 24 Hs. Esper RJ, Cacharrón JI, Machado RA, Vilariño JO. Argentinean cardiology Congress, Buenos Aires, October 2012. (Ref #32)

Comportamento da Velocidade de Onda de Pulso com Medidas de Mapa de 24h na Vigília e no sono. Marco Antônio Mota Gomes; Annelise Machando Gomes de Paiva; Juliana Vasconcelos Lyra da Silva; Glauber Schettino da Silva; José Fernando Vilela Martin, Andréa Araújo Brandao. Brazilian Cardiology Society Congress, Recife, September 2012. (Ref #31)

Wave Reflections, Assessed With a Novel Method for Pulse Wave Separation, Are Associated With End-Organ Damage and Clinical Outcomes. Thomas Weber, Siegfried Wassertheurer, Martin Rammer, Anton Haiden, Bernhard Hametner, Bernd Eber. 2012 Aug;60(2):534-41. doi: 10.1161 (Ref #30)

Feasibility and Reproducibility of Noninvasive 24 h Ambulatory Aortic Blood Pressure Monitoring With a Brachial Cuff-Based Oscillometric Device Athanase D. Protogerou, Antonis Argyris, Efthymia Nasothimiou, Dimitris Vrachatis, Theodoros G. Papaioannou, Dimitris Tzamouranis, Jacques Blacher, Michel E. Safar, Petros Sfikakis, George S. Stergiou. American Journal of Hypertension; Aug 2012, Vol. 25 Issue 8, p876 (Ref #29)

Assessment of central haemodynamics from a brachial cuff in a community setting. David Nunan, Siegfried Wassertheurer, Daniel Lasserson, Bernhard Hametner, Susannah Fleming, Alison Ward and Carl Heneghan. BMC Cardiovasc Disord. 2012 Jun 26;12:48. doi: 10.1186 (Ref #28)

Die Pulswellenanalyse im Rahmen der ambulanten Blutdruckmessung korreliert mit der linksventrikulären Muskelmasse. C. Kos, K. Ablasser, T. Weber, C. Colantonio, G. Steiner, S. Wassertheurer, A. Schmidt, B. Pieske, R. Zweiker. Abstrakt ÖKG Juni 2012 (Ref #27)

Oscillometric estimation of central blood pressure: validation of the Mobil-O-Graph in comparison with the SphygmoCor device. Wolfgang Weiss, Christopher Gohlisch, Christl Harsch-Gladisch, Markus Tölle, Walter Zidek, Markus van der Giet. Blood Pressure Monitoring June, 2012, 17:128-131. (Ref #26)

Relationship Between Central and Peripheral and Ambulatory and Office Blood Pressure with Left Ventricular Mass in Hypertension Patients. Rodilla E, Costa JA, Tejero S, Pascual JM. Vienna Artery 2012. (Ref #36)

Wave reflection quantification based on pressure waveforms alone—Methods, comparison, and clinical covariates Bernhard Hametner, Siegfried Wassertheurer, Johannes Kropf, Christopher Mayer, Andreas Holzinger, Bernd Eber, Thomas Weber. Computer Methods and Program in Biomedicine, 2012. (Ref #35)

Relationship between 24h ambulatory central blood pressure and left ventricular mass rationale and design of a prospective multicenter study. Thomas Weber, Carmel McEniery, Ian Wilkinson, Giuseppe Schillaci, Maria Lorenza Muiesan, Robert Zweiker, Cristina Giannattasio, Kai Mortensen, Johannes Baulmann, Arno Schmidt-Trucksäss, Siegfried Wassertheurer Artery Research 2012, 1-6 (Ref #33)

Is Nocturnal Systolic Blood Pressure Rise Associated with Central Hemodynamics and Arterial Stiffness? Gülperi Çelik, Ali Gündoğdu, Rengin Elsürer Afşar, Fatih Şahin. Turk Neph Dial Transpl 2012; 21: 235-241(Ref #25)

Pressure-Independent Association Between Aortic Characteristic Impedance and left Ventricular Mass in Hypertension. Schillaci G., Pucci G., Settimi L., Pilati M., Battista F., Wassertheurer S., Pirro M., Mannarino E. Journal of Hypertension, Vol 30, -e-supplement A, April 2012, e259. (Ref #24)

Non-Invasive 24 Hour Ambulatory Brachial And Aortic Blood Pressure Monitoring: Association With Target Organ Damage In A Pilot Study. Kollias G., Argyris A., Nasothimiou E., Papaioannou T., Blacher J., Safar M., Achimastos A., Papargyriou J., Papadogiannis D., Sfrikakis P., Protogerou A. Journal of Hypertension, Vol. 30, e-supplement A, April 2012, e51. (Ref #23)

24 Hour Ambulatory Central Blood Pressure measurement reveals significant variation in Pulse Pressure Amplification between Day and Night. McEniery C., Smith J., Day L., Cockcroft J., Wilkinson I. Journal of Hypertension, Vol. 30, e-Supplement A, April 2012, e2-e3. (Ref #22)

Reproducibility of Aortic Haemodynamic parameters assessed by a non-invasive brachial cuff-based 24h ambulatory oscillometric device. Argyris A., Vrachatis D., Nasothimiou E., Papaioannou T., Tzamouranis D., Blacher J., Safar M., Sfrikakis P., Stergiou G., Protogerou A. Journal of Hypertension, Vol. 30, e-supplement A, April 2012, e345-e346. (Ref #20)

Non Invasive Pulse Wave Analysis and measurement of Cardiac Output during Hemodialysis and beyond. Neumann C., Claes V., Schettler V., Hagenah G., Schulz E. Journal of Hypertension, Vol. 30, e-supplement a, April 2012, e348. (Ref #19)

Williams Syndrome is associated with an increase in Heart Rate and Wave Reflection Values during the nighttime period. Cesana F., Dozio D., Bombelli M., Maloberti A., Nava S., Villa P., Sormani P., Colombo G., Soffici F., Giupponi L., Wassertheurer S., Hametner B., Hulpke-Wette M., Schwarz A., Selicorni A., Grassi G., Giannattasio C., Mancia G. Journal of Hypertension, Vol. 30, e-supplement A, April 2012, e67-e68. (Ref #18)

Insulin resistance is associated with increased Large Artery Stiffness in normotensive adults. Ochoa J., Balparda J., Garcia E., Correa M., Valencia A., Alvarez M., Gallo J., McEwen J., Bilo G., Salvi P., Aristizabal D., Parati G. Journal of Hypertension, Vol. 30, e-supplement a, April 2012, e70-e71. (Ref #17)

Relationship between Arterial Stiffness, Cardiac Baroreflex Sensitivity and Blood Pressure variability in normotensive healthy adults. Ochoa J., Balparda J., Garcia E., Correa M., Valencia A., Alvarez M., Gallo J., McEwen J., Bilo G., Salvi P., Aristizabal D., Parati G. Journal of Hypertension, Vol. 30, e-supplement A, April 2012, e553. (Ref #16)

Central hemodynamic parameters, left ventricular mass index, carotid intima-media thickness and renal function in hypertensive patients according to blood pressure classification. Peñuela R., Peñuela T. Journal of Hypertension, Vol.30, 3-supplement A, April 2012, e550. (Ref #15)

Aortic Pulse Wave Velocity, measured invasively or estimated from radial waveforms, predicts cardiovascular events. Weber T., Haiden A., Hametner B., Wassertheurer S., Eber B. Journal of Hypertension, Vol. 30, e-supplement A, April, 2012 e69-e70. (Ref #14)

24-hour Ambulatory Brachial Blood Pressure Monitoring: Changes based on the quality of the brachial cuff waveform. Argyris A., Kollias G., Nasothimiou E., Vrachatis D., Papaioannou T., Blacher J., Safar M.,

Papargyriou J., Papadogiannis D., Sfikakis P., Protogerou A. Journal of Hypertension, Vol. 30, e-supplement A, April, 2012 325 (Ref #13)

Ambulante Blutdruckmessung über 24 Stunden mit nichtinvasiver Ermittlung des zentralen Aortendrucks. Dr. med. Roland E. Schmieder. Praxis-Depesche 1/ 2012 (Ref #12)

2011

Closer to Noninvasive Out-of-Office Aortic Blood Pressure Assessment: A Time to Think and Act - Athanase D. Protogerou, Harold Smulyan and Michel E. Safar. Hypertension. 2011 Nov;58(5):765-7. doi: 10.1161. (Ref #11)

Validation of a Brachial Cuff –Based Method for estimating Central Systolic Blood Pressure. Thomas Weber, Siegfried Wassertheurer, Martin Rammer, Edwin Maurer, Bernhard Hametner, Christopher C. Mayer, Johannes Kropf, Bernd Eber. Hypertension, 2011 Nov;58(5):825-32 (Ref #10)

Validation of a Brachial Cuff-Based Method for assessing Central Blood Pressure at rest and during light exercise. Lisa M Day, David M Nicholson-Thomas, Kaisa M Maki-Petaja, Ian B Wilkinson, Carmel M McEniery. presented at Artery 2011, September 2011 (Ref #9)

2010 and older

Messmethoden der Arteriellen Gefäßsteifigkeit J. Baulmann, T. Weber, K. Mortensen J, HYPERTON 2010; 14(Ref #8)

Central blood pressure estimation for the masses moves a step closer IB Wilkinson, CM McEniery, JR Cockcroft. Journal of Human Hypertension, 24,495-497 (Aug. 2010) (Ref #7)

A new oscillometric method for pulse wave analysis; comparison with a common Tonometric method. S. Wassertheurer, J. Kopf, T. Weber, M. van der Giet, J. Baulmann, M. Ammer, B Hametner, CC Mayer, B. Eber and D. Magonmetschnigg. J Hum Hypertens. 2010 Aug;24(8):498-504. doi: 10.1038 (Ref #6)

Evaluation of the Mobil-O-Graph new generation ABPM device using the ESH criteria. Pascal ML. Franssen, Ben PM. Imholz. Blood Press Monitoring 2010 Aug;15(4):229-31. (Ref #5)

Validation of the Mobil-O-graph: 24 h-blood pressure measurement device. Wolfgang Weiß, Markus Tölle, Walter Zidek, Markus van der Giet. Blood Press Monitoring 2010 Aug;15(4):225-8. doi: 10.1097/MBP.0b013e328338892f (Ref #4)

Central blood pressure; getting to the heart of the matter. Schillaci, Giuseppe, Grassi, Guido. Journal of Hypertension. February 2010, Volume 28, Issue 2-p237-239. (Ref #3)

Modeling arterial and left ventricular coupling for non-invasive measurements. Siegfried Wassertheurer, Christopher Mayer, Felix Breitenacker. Simulation Modeling Practice and Theory 16, 2008, 988-997. (Ref #2)

Convenience of ambulatory blood pressure monitoring: comparison of different devices. Journal Blood Pressure Monitoring, Vol. 10, No 5, October 2005 (Ref #1)